

AN UPDATED CATALOG OF M33 CLUSTERS AND CANDIDATES: *UBVRI* PHOTOMETRY, AND SOME STATISTICAL RESULTSJUN MA,^{1,2}*AJ, in press*

ABSTRACT

We present *UBVRI* photometry for 392 star clusters and candidates in the field of M33, which are selected from the most recent star cluster catalog. In this catalog, the authors listed star clusters' parameters such as cluster positions, magnitudes and colors in the *UBVRIJHK_s* filters, and so on. However, a large fraction of objects in this catalog do not have previously published photometry. Photometry is performed using archival images from the Local Group Galaxies Survey, which covers 0.8 deg² along the major axis of M33. Detailed comparisons show that, in general, our photometry is consistent with previous measurements. Positions (right ascension and declination) for some clusters are corrected here. Combined with previous literature, we constitute a large sample of M33 star clusters. Based on this cluster sample, we present some statistical results: none of the M33 youngest clusters ($\sim 10^7$ yr) have masses approaching $10^5 M_{\odot}$; roughly half the star clusters are consistent with the 10^4 to $10^5 M_{\odot}$ mass models; the continuous distribution of star clusters along the model line indicates that M33 star clusters have been formed continuously from the epoch of the first star cluster formation until recent times; there are ~ 50 star clusters which being overlapped with the Galactic globular clusters on the color-color diagram, and these clusters are old globular clusters candidates in M33.

Subject headings: catalogs – galaxies: individual (M33) – galaxies: spiral – galaxies: star clusters

1. INTRODUCTION

The importance of the study of star clusters is difficult to overstate, especially in the Local Group galaxies. Star clusters, which represent, in distinct and luminous “packets”, single-age and single-abundance points and encapsulate at least a partial history of the parent galaxy's evolution, can provide a unique laboratory for studying the ongoing and past star formation in the parent galaxy.

M33 is a small Scd Local Group galaxy, about 15 times farther from us than the LMC (distance modulus $(m - M)_0 = 24.54 \pm 0.06$; McConnachie et al. 2004, 2005). It is interesting and important because it represents a morphological type intermediate between the largest “early-type” spirals and the dwarf irregulars in the Local Group. So, it can provide an important link between the cluster populations of earlier-type spirals (Milky Way and M31) and the numerous, nearby later-type dwarf galaxies.

Although in the work of M31 globular clusters, Hubble (1932) remarked that he discovered some twenty or fifteen diffuse objects in M33 and remarked that they averaged about 1.5 mag fainter than the globular clusters in M31, Hiltner (1960) did the pioneering work of M33 star clusters. In his work, Hiltner (1960) used photographic plates taken with the Mt. Wilson 100 inch (2.5 m) telescope to photometer 23 M33 cluster candidates and 23 M31 globular clusters in the *UBV* passbands, and found that, except for five ones, the clusters in M33 are bluer and fainter than those in M31.

At the same time, Kron & Mayall (1960) did photoelectric observations for 4 M33 star clusters. And then, Melnick & D'Odorico (1978) detected 58 star clusters in M33 based on a baked IIIa-J+GG385 plate which covering a field of about one degree in diameter. The most comprehensive catalog of nonstellar objects in M33 was compiled by Christian & Schommer (1982, 1988), who detected 250 nonstellar objects by visually examining a single photographic plate taken at the Ritchey-Chretien focus of the 4 m telescope at Kitt Peak National Observatory, and obtained ground-based *B*, *V*, and *I* photometry of 106 of these objects, for which they believe to be star clusters. Recently, Mochejska et al. (1998) detected 51 globular cluster candidates in M33, 32 of which were not previously cataloged, using the data collected in the DIRECT project (Kaluzny et al. 1998; Stanek et al. 1998). Since the pioneering work of Chandar et al. (1999a), the era of detecting and studying M33 star clusters based on the images with *Hubble Space Telescope* (*HST*) has begun (Chandar et al. 1999a,b,c, 2001, 2002; Bedin et al. 2005; Park & Lee 2007; Sarajedini et al. 2007; Stonkutė et al. 2008; Huxor et al. 2009; San Roman et al. 2009; Zloczewski & Kaluzny 2009). Ma et al. (2001, 2002a,b,c, 2004a,b) constructed spectral energy distributions (SEDs) in 13 intermediate filters of the Beijing-Arizona-Taiwan-Connecticut (BATC) photometric system for known M33 clusters and candidates from Melnick & D'Odorico (1978), Chandar et al. (1999a, 2001) and Mochejska et al. (1998), and estimated cluster properties. In order to construct a single master catalog incorporating the entries in all of the individual catalogs including all known properties of each cluster, Sarajedini & Mancone (2007) merged all of the above-mentioned catalogs before 2007, for a summary of the properties of all of these cata-

majun@nao.cas.cn

¹ National Astronomical Observatories, Chinese Academy of Sciences, A20 Datun Road, Chaoyang District, Beijing 100012, China² Key Laboratory of Optical Astronomy, National Astronomical Observatories, Chinese Academy of Sciences, Beijing 100012, China

logs. This catalog contains 451 candidates, of which 255 are confirmed clusters based on *HST* and high-resolution ground-based imaging. The positions of the clusters in Sarajedini & Mancone (2007) were transformed to the J2000.0 epoch and refined using the Local Group Galaxies Survey (LGGS; Massey et al. 2006). In addition, some authors used the images observed with the MegaCam camera on the 3.6 m Canada-France-Hawaii Telescope (CFHT/MegaCam) to detect star clusters in M33 (Zloczewski et al. 2008; San Roman 2010); Sharina et al. (2010) presented the evolutionary parameters of 15 GCs in M33 based on the results of medium-resolution spectroscopy obtained at the Special Astrophysical Observatory 6-m telescope. Most recently, Cockcroft et al. (2011) search for outer halo star clusters in M33 based on CFHT/MegaCam imaging as part of the Pan-Andromeda Archaeological Survey (PAndAS).

As Sarajedini & Mancone (2007) pointed out that, the photometry of M33 clusters and cluster candidates are from the various original catalogs which are all on different zero points. In addition, more than 160 clusters and cluster candidates do not possess any photometric data in the M33 adopted cluster catalog of Sarajedini & Mancone (2007). So, it is important to provide photometry for these clusters and cluster candidates of M33 which being without any photometric data, and it is also important to provide photometry for clusters and cluster candidates of M33 in the same photometric system.

In this paper, we perform aperture photometry of 392 M33 star clusters and cluster candidates based on the LGGS images of M33. These sample clusters are selected from the M33 adopted cluster catalog of Sarajedini & Mancone (2007). This paper is organized as follows. §2 describes the sample selection and *UBVRI* photometry. In §3, we present an analysis of the cluster properties. Lastly, our conclusions are presented in §4.

2. DATA

2.1. Sample

We selected our sample star clusters and cluster candidates from the M33 adopted cluster catalog of Sarajedini & Mancone (2007), which is a compilation of photometry and identifications from many previous catalogs. This catalog contains precise cluster positions (right ascension and declination), magnitudes and colors in the *UBVRIJHK_s* filters, metallicities, radial velocities, masses and ages, where available, and galactocentric distances for each cluster. However, from this catalog, we can see that, for more than 160 objects there are not any photometric data. So, homogeneous photometric data are urgently needed. We used archival *UBVRI* images of M33 from the LGGS available from their ftp site³, which covers a region of 0.8 deg² along the galaxy's major axis. The images we used consist of 3 separate but overlapping fields with a scale from 0.261''pixel⁻¹ at the center to 0.258''pixel⁻¹ in the corners of each image. The field of view of each mosaic image is 36' × 36'. The observations were taken from August 2000 to September 2002 with the KPNO 4 m telescope. The median seeing of the LGGS images is ~

1''. We employed IRAF/DAOFIND to find the sources in the images and match them to the coordinates of the M33 adopted cluster catalog of Sarajedini & Mancone (2007). In this paper, we will perform photometry for star clusters and cluster candidates in the M33 adopted cluster catalog of Sarajedini & Mancone (2007), in which there are 393 star clusters and cluster candidates. To prevent mistakes, we checked each object visually in the images. Except for 3 objects (8, 287 and 417), the coordinates presented by Sarajedini & Mancone (2007) are of sufficient accuracy to make the objects be easily discernible. For objects 8 and 287, the offsets of the coordinates presented by Sarajedini & Mancone (2007) and this paper are ~ 3.0'' and ~ 1.3'' (For object 8, its R.A. and REC are 01:32:41.27 and +30:27:51.9 (J2000.0) presented by Sarajedini & Mancone [2007] compared to 01:32:41.273 and +30:27:54.76 (J2000.0) given here; for object 287, its R.A. and REC are 01:34:03.34 and +30:48:28.0 presented by Sarajedini & Mancone [2007] compared to 01:34:03.311 and +30:48:26.73 (J2000.0) given here), respectively. For object 417, i.e. U139 of Christian & Schommer (1982), its R.A. and REC listed by Sarajedini & Mancone (2007) are 01:34:36.92 and +30:03:47.6 (J2000.0), which falls the outside of the region covered by the LGGS images, however, its R.A. and REC listed by Christian & Schommer (1982) are 01:29:47 and +30:12:44 (J1950.0), i.e. 01:32:35.88 and +30:28:07.96 (J2000.0). The offset of these two sets of coordinates given by Christian & Schommer (1982) and Sarajedini & Mancone (2007) is too large. So, the R.A. and REC of object 417 presented by Sarajedini & Mancone (2007) may be typing error. Based on the original R.A. and REC listed by Christian & Schommer (1982), we found that only one object exits within 20'', so it is reasonable that this object is U139 of Christian & Schommer (1982), whose R.A. and REC derived based on the LGGS images are 01:32:35.786 and +30:28:09.16 (J2000.0). In addition, according to the R.A. and REC presented by Sarajedini & Mancone (2007), object 268 and 269 is the same source. We delete number 268. So, the last sample of this paper includes 392 star clusters and cluster candidates of M33, which are selected from the M33 adopted cluster catalog of Sarajedini & Mancone (2007). Figure 1 shows the spatial distribution of the 392 objects in the LGGS fields. The large ellipse is the *D*₂₅ boundary of the M33 disk (de Vaucouleurs et al. 1991). The 3 large squares are the LGGS field boundaries.

2.2. Integrated photometry

We used the LGGS archival images of M33 in the *UBVRI* bands to perform photometry. Previously, Massey et al. (2006) compiled point-spread-function (PSF) photometry for 146,622 stars (point sources) in the M33 fields, with photometric uncertainties of < 10% below *V* = 23 mag. However, there is as yet no published LGGS photometry for extended sources, such as star clusters and galaxies.

We performed aperture photometry of these 392 M33 star clusters and cluster candidates found in the LGGS images in all of the *UBVRI* bands to provide a comprehensive and homogeneous photometric catalog for these objects. The photometry routine we used is IRAF/DAOPHOT (Stetson 1987). To determine the total

³ <ftp://ftp.lowell.edu/pub/massey/lgsurvey/datarelease/>




FIG. 1.— Spatial distribution of the 392 star clusters and cluster candidates of M33 which being selected from Sarajedini & Mancone (2007) and their loci in the LGGS fields. We determined the photometry for these objects based on the LGGS archival images of M33 in the *UBVRI* bands. The large ellipse is the D_{25} boundary of the M33 disk (de Vaucouleurs et al. 1991). The three large squares are the LGGS fields.

luminosity of each cluster, we produced curve of growth from *V*-band photometry obtained through apertures with radii in the range 3-40 pixel with 1 pixel increments. These were used to determine the aperture size required to enclose the total cluster light. The most appropriate photometric radius that includes all light from the objects, but excludes (as much as possible and to the extent that this was obvious) extraneous field stars is adopted. Figure 2 shows curves of growth for 8 clusters selected randomly according to luminosity. In Figure 2, the most appropriate photometric radius needed for photometry is indicated by triangles. In addition, we have checked the aperture of every sample object considered here by visual examination to make sure that it was large enough to include all light from this object, but not too large (to avoid contamination from other sources). The local sky background was measured in

an annulus with an inner radius which being larger 1 pixel than photometric radius and 5 pixels wide, in which the mode was used. The instrumental magnitudes were then calibrated to the standard Johnson-Kron-Cousins *UBVRI* system by comparing the published magnitudes of stars from Massey et al. (2006), who calibrated their photometry with standard stars of Landolt (1992), with our instrumental magnitudes. Since the magnitudes in Massey et al. (2006) are given in the Vega system, our photometry is also tied to that system. Finally, except for object 216 in *U* band, which falls in the gap of the image, we obtained photometry for 392 objects in the individual *UBVRI* bands. Table 1 lists our new *UBVRI* magnitudes and the aperture radii used (We adopted $0.258''\text{pixel}^{-1}$ from the image header.), with errors given by IRAF/DAOPHOT. The object names follow the naming convention of Sarajedini & Mancone (2007).




FIG. 2.— Curves of growth for 8 clusters of M33 selected randomly according to luminosity. Triangles indicate the radii of the apertures needed for the photometry.

To examine the quality and reliability of our photometry, we compared the aperture magnitudes of the 392 objects considered here with the magnitudes collected from various sources in Sarajedini & Mancone (2007), and with previous measurements in Park & Lee (2007) and San Roman et al. (2009). There are 18 clusters, of which the magnitude scatters in V band between this and previous studies (Sarajedini & Mancone 2007; Park & Lee 2007; San Roman et al. 2009) are larger than 1.0 mag, i.e. our aperture magnitudes are fainter than previous measurements in Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009). We listed these objects in Table 2, and we also plotted images of these objects in Figure 3. The circles are photometric apertures adopted here. From this figure, we can see that most of these objects (44, 45, 66, 116, 118, 153, 195, 221, 231, 250, 253, 276, 338, and 367) are very close to one or more bright sources. If photometric apertures are larger than the values adopted here, the light from these bright sources will not be excluded. The object 46 is really faint. As we know, for objects in crowded fields or for faint objects, different aperture sizes adopted for photometry would cause a large scatter in the photometric measurement. In fact, from Table 2, we can see that, for some star clusters (45, 66, 193, 195, 221, 231, 250, and 367), the photometric measurements obtained by Park & Lee (2007) are also very different from the photometric data collected by Sarajedini & Mancone (2007). In Sarajedini & Mancone (2007), the photometric data, which are collected from various original catalogs and are on different zeropoints, are transformed to the refer-

ence system of Chandar et al. (1999a, 2001) by applying offsets derived from objects in common between the relevant catalog and the data set of Chandar et al. (1999a, 2001). Chandar et al. (1999a, 2001) derived UBV or BVI photometry of M33 star clusters based on images taken with *HST*/WPC2 with an aperture of $r = 2.2''$ for V magnitude measurement and an aperture of $r = 1.0''$ for the measurement of color. In Park & Lee (2007), BVI integrated aperture photometry of M33 star clusters, which are included in $50' \times 80'$ field of M33 based on CCD images taken with the CFH12k mosaic camera at the CFHT, are derived with an aperture of $r = 4.0''$ for V magnitude measurement and an aperture of $r = 2.0''$ for the measurement of color. San Roman et al. (2009) derived integrated photometry and color-magnitude diagrams (CMDs) for 161 star clusters in M33, using the Advanced Camera For Surveys (ACS) Wide Field Channel (WFC) onboard the *HST*. These authors adopted an aperture radius of $r = 2.2''$ for V magnitude measurements and $r = 1.5''$ for the colors. For these 18 sources, the large magnitude scatters in V band between this and previous studies (Sarajedini & Mancone 2007; Park & Lee 2007; San Roman et al. 2009) come from different photometric aperture sizes adopted by different authors.

Figures 4, 5 and 6 show the comparison of our photometry of the clusters considered here with previous photometric data in Sarajedini & Mancone (2007), with previous photometric measurements in Park & Lee (2007) and San Roman et al. (2009). Objects 46, 116, and 193 are not included in the figure of ΔV comparison of Fig-

ure 4 because of too large values of ΔV to be drawn in the figure. The photometric offsets and rms scatter of the differences between previous measurements and our new magnitudes are summarized in Tables 3, 4 and 5.

From Figures 4, 5 and 6 and Tables 3, 4 and 5, we can see that, our measurements in V band get systematically fainter than the photometric data in Sarajedini & Mancone (2007), and the photometric measurements in Park & Lee (2007) and San Roman et al. (2009) for fainter sources ($V \geq 19$). Except for the $(B - V)$ difference between this study and those of Park & Lee (2007) and San Roman et al. (2009), which turned out to be 0.127 ± 0.013 with $\sigma = 0.161$ and 0.428 ± 0.066 with $\sigma = 0.256$, both the $(B - V)$ and $(V - I)$ colors obtained here are in good agreement with those in Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009). For the $(B - V)$ colors obtained by San Roman et al. (2009), we will discuss them in §3.2 and 3.3.

To check whether and how seriously aperture variations affect the photometric measurements, we performed test with the same size aperture for all objects considered here. We chose $3.354''$ (corresponding to 13 pixels in the LGGS images) as a radius for obtaining photometric magnitudes of objects considered here. This aperture size is nearly in between $2.2''$ and $4.0''$, which are chosen to obtain V magnitude measurements of M33 star clusters by Chandar et al. (1999a, 2001) and San Roman et al. (2009), and Park & Lee (2007), respectively. Figures 7, 8 and 9 show the comparison of our photometry of the clusters considered here with previous photometric data collected by Sarajedini & Mancone (2007), and with previous photometry of Park & Lee (2007) and San Roman et al. (2009). Tables 6, 7 and 8 summarize photometric offsets and rms scatter of the differences between previous measurements and our new magnitudes. It is evident that the photometries obtained with a radius of $3.354''$ agree good with those in Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009). From Figures 7, 8 and 9 and Tables 6, 7 and 8, we can see that, except for the $(B - V)$ difference between our study and those of Park & Lee (2007) and San Roman et al. (2009), which turned out to be 0.107 ± 0.011 with $\sigma = 0.154$ and 0.405 ± 0.068 with $\sigma = 0.263$, both the $(B - V)$ and $(V - I)$ colors and V magnitudes obtained here are in good agreement with previous photometric measurements in Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009), and there are no evident difference between the photometric zeropoint here as compared with Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009). There are 10 clusters, of which the magnitude scatters in V band between this study and those of Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009) are larger than one magnitude, i.e. our photometric measurements are fainter or brighter than those in Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009). By comparing Table 2 with Table 9, we find that, except for object 196, the V magnitude of which is nearly not dependent on aperture size, the V magnitudes of other common objects (46, 193, 195, and 231) decrease with aperture sizes. For objects 90 and 132 in Table 9, the V magnitudes obtained with an

aperture radius of $r = 3.354''$ here are all brighter than previous measurements, however, for object 426 in Table 9, the photometric magnitude obtained with an aperture radius of $r = 3.354''$ here is still fainter than previous measurements in Sarajedini & Mancone (2007) and Park & Lee (2007). For objects 132, 193, 231, 240 and 426, our photometric measurements are in good agreement with those of Park & Lee (2007). In addition, for object 236, our photometric measurement is in agreement with that of Sarajedini & Mancone (2007), but is brighter than that of Park & Lee (2007). We also note that, in Table 9, there are only 3 objects (90, 195, and 236), of which the V magnitude scatters between this study and that of Park & Lee (2007) are larger than 1.0 mag.

3. STATISTICAL PROPERTIES OF M33 STAR CLUSTERS

3.1. Sample

Our statistical sample contains 521 confirmed M33 star clusters, of which 254 have $UBVRI$ photometry obtained here, 35 have BVI photometry obtained by Park & Lee (2007), 117 have BVI photometry obtained by San Roman et al. (2009), and 115 have BVI photometry obtained by Zloczewski & Kaluzny (2009). These star clusters were confirmed based on the *HST* or high-resolution ground-based imaging (see Sarajedini & Mancone 2007; Park & Lee 2007; San Roman et al. 2009; Zloczewski & Kaluzny 2009, for details). Figure 10 shows the spatial distribution of the 521 confirmed M33 star clusters. The large ellipse is the D_{25} boundary of the M33 disk (de Vaucouleurs et al. 1991).

3.2. Color-magnitude diagram

The color-magnitude diagram (CMD) provides a qualitative model-independent global indication of cluster-formation history that can be compared between galaxies, because $(B - V)_0$ and $(V - I)_0$ are reasonably good age indicators, at least between young and old populations, with a secondary dependence on metallicity (Chandar et al. 1999b). CMDs of M33 clusters have been previously discussed in the literature (Christian & Schommer 1982, 1988; Chandar et al. 1999b; Park & Lee 2007). However, with a much larger cluster sample, it is worth investigating them again. Figure 11 displays the integrated $M_V - (B - V)_0$ and $M_V - (V - I)_0$ CMDs of the sample star clusters of M33. The absolute magnitudes of the star clusters were derived for the adopted distance modulus of $(m - M)_0 = 24.69$ obtained by Galleti et al. (2004). The interstellar extinction curve, A_λ , is taken from Cardelli et al. (1989), $R_V = A_V/E(B - V) = 3.1$. For reddening values of the star clusters, we used those in Park & Lee (2007) and San Roman et al. (2009). For star clusters, Park & Lee (2007) and San Roman et al. (2009) did not present their reddening values, we adopted a uniform value of $E(B - V) = 0.1$, as typical of the published values for the line-of-sight reddenings to M33 as Sarajedini & Mancone (2007) adopted. Below each CMD in Figure 11 we have plotted the cluster distribution in color space. To the right of each CMD in Figure 11 we have shown a histogram of the clusters' absolute V magnitudes.

From Figure 11, we can see that, the star clusters are roughly separated into blue and red groups with a color




FIG. 3.— Finding charts of 18 star clusters and candidates of M33 in the LGGS V band, of which the magnitude scatters in V band between this and those studies of Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009) are larger than 1.0 mag, i.e. our measurements are fainter than those in Sarajedini & Mancone (2007), Park & Lee (2007) and San Roman et al. (2009). The circles are photometric apertures adopted in this paper.




FIG. 4.— Comparisons of our photometry of M33 star clusters and candidates in the $UBVRI$ bands with previous measurements being collected in Sarajedini & Mancone (2007).




FIG. 5.— Comparisons of our photometry of M33 star clusters and candidates in the $UBVRI$ bands with previous photometry in Park & Lee (2007).

boundary of $(B - V)_0 \simeq 0.5$ in the $M_V - (B - V)_0$ CMD (vertical dashed line). This feature is also found by Park & Lee (2007) with a smaller sample. In fact, Figure 6 of Sarajedini & Mancone (2007) also shows this color separation. However, this separation in the $M_V - (V - I)_0$ CMD is not as clear as in the $M_V - (B - V)_0$ CMD, which was also shown by Park & Lee (2007). Figure 11 shows that the cluster luminosity function peaks near $M_V \sim -6.0$ mag. In addition, there are some very red star clusters, the $(B - V)_0$ colors of which are much redder than 1.0 mag: $(B - V)_0 = 1.959, 1.679$, and 1.495 for clusters 116, 279, and 367 according to the photometry here. The $(B - V)_0$ colors of clusters 279 and 367 which being named 89 and 214 in Park & Lee (2007), also derived by Park & Lee (2007): 1.597 and 0.521. There is one star cluster, the $(B - V)_0$ color of which is much bluer than -0.5 mag: $(B - V)_0 = -0.840$ for 111 of San Roman et al. (2009) according to the photometry of San Roman et al. (2009). We did not derive the photometry for this star cluster. For the $(V - I)_0$ colors, there is one star cluster with $(V - I)_0 = 3.109$: cluster 216 of Sarajedini & Mancone (2007) according to the photometry here. There is not previous photometry for cluster 216. From Figure 11, we also see that, the faintest star clusters identified so far in M33 are from Zloczewski & Kaluzny (2009), there are about eight star clusters fainter than -4.0 mag in V band.

By adding models to the CMDs, we can obtain a more detailed history of cluster formation. Three fading lines (M_V as a function of age) of Bruzual & Charlot (2003) for a metallicity of $Z = 0.004, Y = 0.24$ which

being thought to be appropriate for M33 star clusters (Chandar et al. 1999b), assuming a Salpeter initial mass function (Salpeter 1955) with lower and upper-mass cut-offs of $m_L = 0.1 M_\odot$ and $m_U = 100 M_\odot$, and using the Padova-1994 evolutionary tracks, are plotted on the CMDs of M33 star clusters for three different total initial masses: $10^5, 10^4$, and $10^3 M_\odot$. The majority of M33 star clusters fall between these three fading lines. From Figure 11, we note that none of the youngest clusters ($\sim 10^7$ yr) have masses approaching $10^5 M_\odot$, which is consistent with the results of Chandar et al. (1999b). The fading lines show that, qualitatively, roughly half the star clusters here are consistent with the 10^4 to $10^5 M_\odot$ mass models. For ages older than 10^9 yr, some clusters with substantially higher masses are seen. From Figure 11, we can see that, some $(B - V)$ colors obtained by San Roman et al. (2009) are not consistent with the SSP lines.

3.3. Color-color diagram

Figure 12 shows the integrated $(B - V)_0$ versus $(V - I)_0$ color-color diagram for M33 star clusters. Galactic globular clusters from the on-line data base of Harris (1996) (2010 update) are also plotted for comparison. We over-plotted the theoretical evolutionary path for the single stellar population (SSP; Bruzual & Charlot 2003) for $Z = 0.004, Y = 0.24$ that was appropriate for M33 (Chandar et al. 1999b). For comparison, the evolutionary path of the SSP for $Z = 0.02, Y = 0.28$ is also overlaid.

In general, the star clusters in M33 are located along




FIG. 6.— Comparisons of our photometry of M33 star clusters and candidates in the $UBVRI$ bands with previous photometry in San Roman et al. (2009).

the sequence that is consistent with the theoretical evolutionary path for $Z = 0.004, Y = 0.24$, while some are on the redder or bluer side in the $(V - I)_0$ color. However, it is noted that most of sample star clusters from San Roman et al. (2009) are above the SSP lines. In addition, compared with the color-color diagram in Park & Lee (2007), we find that the photometry in this study is shifted below the SSP lines more than in Park & Lee (2007), i.e. the sample clusters in this paper are on the redder side in the $(B - V)_0$ color. In fact, from Figure 5 and Table 4, we can see that the $(B - V)$ colors obtained here are 0.127 ± 0.013 redder than those of Park & Lee (2007). From Figure 12, we also find out that, the photometry for the most Galactic globular clusters is also below the SSP lines. The continuous distribution of star clusters along the model line indicates that M33 star clusters have been formed continuously from the epoch of the first star cluster formation until recent times (see also Park & Lee 2007). In addition, Figure 12 also shows that, some $(B - V)$ colors obtained by San Roman et al. (2009) are not consistent with the SSP lines.

Based on the integrated $(B - V)_0$ versus $(V - I)_0$ color-color diagram in Figure 12, we can select old globular cluster candidates in M33 which being overlapped with the Galactic globular clusters. There are ~ 50 star clusters which being overlapped with the Galactic globular clusters that are old globular clusters candidates in M33.

4. SUMMARY AND CONCLUSIONS

In this paper, we present $UBVRI$ photometric measurements for 392 star clusters and cluster candidates in

the field of M33 based on archival images from the LGGS (Massey et al. 2006). These sample star clusters and cluster candidates of M33 are selected from the most recent star cluster catalog of Sarajedini & Mancone (2007) which being compiled based on eight existing catalogs. In this catalog, the authors listed parameters such as cluster positions, magnitudes and colors in the $UBVRIJHK_s$ filters, and so on. However, a large fraction of objects in this catalog do not have previously published photometry. So, the photometric measurements in this paper supplement this catalog. Detailed comparisons show that, in general, our photometry is in agreement with previous measurements. Positions (right ascension and declination) for some clusters are corrected here.

Combined with previous literature, we obtained a large sample of M33 star clusters including 521 objects. Based on this sample of M33 star clusters, we present some statistical results:

- (1) none of the M33 youngest clusters ($\sim 10^7$ yr) have masses approaching $10^5 M_\odot$;
- (2) roughly half the star clusters are consistent with the 10^4 to $10^5 M_\odot$ mass models;
- (3) the continuous distribution of star clusters along the model line indicates that M33 star clusters have been formed continuously from the epoch of the first star cluster formation until recent times;
- (4) there are ~ 50 star clusters which being overlapped with the Galactic globular clusters on the color-color diagram, and these clusters are old globular clusters candidates in M33.




FIG. 7.— Comparisons of our photometry of M33 star clusters and candidates in the *UBVRI* bands with previous measurements being collected in Sarajedini & Mancone (2007). Photometries of M33 star clusters are derived with an aperture of $r = 3.354''$ (13 pixels) in this paper.

We would like to thank the anonymous referee for providing rapid and thoughtful report that helped improve the original manuscript greatly. This research was sup-

ported by the Chinese National Natural Science Foundation through grants 10873016 and 10633020, and by National Basic Research Program of China (973 Program) under grant 2007CB815403.

REFERENCES

- Bedin, L. R., Piotto, G., Baume, G., et al. 2005, *A&A*, 444, 831
 Bruzual, A. G., & Charlot, S. 2003, *MNRAS*, 344, 1000
 Cardelli, J. A., Clayton, G. C., & Mathis, J. S. 1989, *ApJ*, 345, 245
 Chandar, R., Bianchi, L., & Ford, H. C. 1999a, *ApJS*, 122, 431
 Chandar, R., Bianchi, L., & Ford, H. C. 1999b, *ApJ*, 517, 668
 Chandar, R., Bianchi, L., & Ford, H. C. 2001, *A&A*, 366, 498
 Chandar, R., Bianchi, L., Ford, H. C., & Salasnich, B. 1999c, *PASP*, 111, 794
 Chandar, R., Bianchi, L., Ford, H. C., & Sarajedini, A. A. 2002, *ApJ*, 564, 712
 Christian, C. A., & Schommer, R. A. 1982, *ApJS*, 49, 405
 Christian, C. A., & Schommer, R. A. 1988, *AJ*, 95, 704
 Cockcroft, R., Harris, W. E., Ferguson, A., et al. 2011, *ApJ*, 730, 112
 de Vaucouleurs, G., de Vaucouleurs, A., Corwin, H., Buta, R., Paturel, G., & Fouque, P. 1991, *Third Reference Catalog of Bright Galaxies*, Vol. 2 (New York: Springer), 548
 Galletti, S., Bellazzini, M., & Ferraro, F. R. 2004, *A&A*, 423, 925
 Harris, W. E. 1996, *AJ*, 112, 1487
 Hiltner, W. A. 1960, *ApJ*, 131, 163
 Hubble, E. 1932, *ApJ*, 76, 44
 Huxor, A., Ferguson, A., Barker, M. K., et al. 2009, *ApJ*, 698, L77
 Kaluzny, J., Stanek, K. Z., Krockenberger, M., Sasselov, D., Tonry, J. L., & Mateo, M. 1998, *AJ*, 115, 1016
 Kron, G. E., & Mayall, N. U. 1960, *AJ*, 65, 581
 Landolt, A. U. 1992, *AJ*, 104, 340
 Ma, J., Zhuo, X., Wu, H., et al. 2001, *AJ*, 122, 1796
 Ma, J., Zhou, X., Chen, J., et al. 2002a, *Chinese J. Astron. Astrophys.*, 2, 197
 Ma, J., Zhou, X., Chen, J., et al. 2002b, *AJ*, 123, 3141
 Ma, J., Zhou, X., Chen, J., et al. 2002c, *Acta Astron.*, 52, 453
 Ma, J., Zhou, X., & Chen, J. 2004, *A&A*, 413, 563
 Ma, J., Zhou, X., & Chen, J. 2004, *Chinese J. Astron. Astrophys.*, 4, 125
 Massey, P., Olsen, K. A. G., Hodge, P. W., et al. 2006, *AJ*, 131, 2478
 Melnick, J., & D'Odorico, S. 1978, *A&AS*, 34, 249
 Mochejska, B. J., Kaluzny, J., Krockenberger, M., Sasselov, D., & Stanek, K. Z. 1998, *Acta Astron.*, 48, 455
 Park, W., & Lee, M. G. 2007, *AJ*, 134, 2168
 Salpeter, E. E. 1955, *ApJ*, 121, 161
 San Roman, I., Sarajedini, A., & Aparicio, A. 2010, *ApJ*, 720, 1674
 San Roman, I., Sarajedini, A., Garnett, D. R., & Holtzman, J. A. 2009, *ApJ*, 699, 839
 Sarajedini, A., Barker, M. K., Geisler, D., Harding, P., & Schommer, R. 2007, *AJ*, 133, 290
 Sarajedini, A., & Mancone, C. L. 2007, *AJ*, 134, 447
 Sharina, M. E., Chandar, R., Puzia, T. H., Goudfrooij, P., & Davoust, E. 2010, *MNRAS*, 405, 839
 Stanek, K. Z., Kaluzny, J., Krockenberger, M., Sasselov, D. D., Tonry, J. L., & Mateo, M. 1998, *AJ*, 115, 1894
 Stetson, P. B. 1987, *PASP*, 99, 191
 Stonkutė, R., Vansevičius, V., Arimoto, N., et al. 2008, *AJ*, 135, 1482
 Zloczewski, K., & Kaluzny, J. 2009, *Acta Astron.*, 59, 47




FIG. 8.— Comparisons of our photometry of M33 star clusters and candidates in the *UBVRI* bands with previous photometry in Park & Lee (2007). Photometries of M33 star clusters are derived with an aperture of $r = 3.354''$ (13 pixels) in this paper.

Złoczewski, K., Kaluzny, J., & Hartman, J. 2008, *Acta Astron.*,
58, 23




FIG. 9.— Comparisons of our photometry of M33 star clusters and candidates in the *UBVRI* bands with previous photometry in San Roman et al. (2009). Photometries of M33 star clusters are derived with an aperture of $r = 3.354''$ (13 pixels) in this paper.




FIG. 10.— Spatial distribution of the 406 confirmed star clusters in M33. Blue crosses denote the star clusters in this study, green squares denote the star clusters in Park & Lee (2007), red open circles denote the star clusters in San Roman et al. (2009), and black crosses denote the star clusters in Zloczewski & Kaluzny (2009). The large ellipse is the D_{25} boundary of the M33 disk (de Vaucouleurs et al. 1991).




FIG. 11.— Color-magnitude diagrams of M33 clusters. Crosses represent the clusters in this study, filled circles represent the star clusters in Park & Lee (2007), open circles denote the star clusters in San Roman et al. (2009), and open squares denote the star clusters in Zloczewski & Kaluzny (2009). Fading lines are indicated for clusters with total initial masses of 10^5 (*upper dashed line*), 10^4 , and 10^3 (*lower dashed line*) $M_{\odot}$, assuming a Salpeter IMF (see text). Stars along each fading line represent ages of 10^7 , 10^8 , 10^9 , and 10^{10} yr, from top to bottom, respectively. The vertical dashed line marks the approximate color that divides the sample star clusters into young and old populations.




FIG. 12.— $(B-V)_0$ vs. $(V-I)_0$ color-color diagram of star clusters in M33. Crosses represent the clusters in this study, filled circles represent the star clusters in Park & Lee (2007), open circles denote the star clusters in San Roman et al. (2009), and open squares denote the star clusters in Zloczewski & Kaluzny (2009). Green squares are Galactic globular clusters from the on-line data base of Harris (1996) (2010 update). Theoretical evolutionary paths from the SSP model (Bruzual & Charlot 2003) for $Z = 0.004$, $Y = 0.24$ (blue dashed line) and $Z = 0.02$, $Y = 0.28$ (red solid line) are drawn for every dex in age from 10^6 to 10^{10} yr. The arrow represents the reddening direction.

TABLE 1
NEW *UBVRI* PHOTOMETRY OF M33 STAR CLUSTERS AND CANDIDATES.

Object	<i>U</i> mag	<i>B</i> mag	<i>V</i> mag	<i>R</i> mag	<i>I</i> mag	r_{ap} "
1.....	20.049 ± 0.019	20.292 ± 0.029	20.123 ± 0.029	20.208 ± 0.036	20.239 ± 0.043	2.064
3.....	21.184 ± 0.053	21.087 ± 0.064	20.419 ± 0.042	20.107 ± 0.041	19.807 ± 0.037	2.322
4.....	20.405 ± 0.024	21.024 ± 0.035	20.755 ± 0.044	20.606 ± 0.051	20.303 ± 0.050	2.322
6.....	20.223 ± 0.035	20.276 ± 0.047	19.767 ± 0.042	19.444 ± 0.038	18.970 ± 0.032	3.096
7.....	17.743 ± 0.010	19.060 ± 0.017	18.871 ± 0.020	18.520 ± 0.019	18.878 ± 0.034	3.870
8.....	20.004 ± 0.028	19.987 ± 0.034	19.594 ± 0.029	19.344 ± 0.025	19.028 ± 0.023	2.580
9.....	17.912 ± 0.007	18.016 ± 0.009	17.609 ± 0.008	17.331 ± 0.007	16.929 ± 0.006	3.612
10.....	19.741 ± 0.028	19.597 ± 0.025	18.780 ± 0.017	18.294 ± 0.016	17.676 ± 0.011	3.096
11.....	20.050 ± 0.020	20.702 ± 0.037	20.628 ± 0.040	20.730 ± 0.046	20.803 ± 0.059	1.548
15.....	18.937 ± 0.015	18.985 ± 0.020	18.512 ± 0.015	18.178 ± 0.013	17.724 ± 0.012	3.354
16.....	19.114 ± 0.010	19.191 ± 0.012	18.842 ± 0.010	18.640 ± 0.011	18.304 ± 0.011	2.580
17.....	20.433 ± 0.052	20.397 ± 0.056	19.681 ± 0.036	19.553 ± 0.039	19.211 ± 0.040	3.096
18.....	20.697 ± 0.023	21.627 ± 0.055	21.541 ± 0.065	21.677 ± 0.070	21.544 ± 0.089	1.032
20.....	20.295 ± 0.026	20.168 ± 0.024	19.694 ± 0.024	19.375 ± 0.023	19.087 ± 0.024	2.838
21.....	18.060 ± 0.014	18.988 ± 0.022	18.738 ± 0.024	18.505 ± 0.019	18.758 ± 0.028	2.838
22.....	20.800 ± 0.026	21.551 ± 0.044	21.384 ± 0.059	21.050 ± 0.059	21.028 ± 0.082	1.548
23.....	19.436 ± 0.017	19.765 ± 0.026	19.545 ± 0.025	19.280 ± 0.024	18.666 ± 0.018	2.064
26.....	18.171 ± 0.007	18.125 ± 0.007	17.752 ± 0.007	17.536 ± 0.007	17.215 ± 0.009	4.128
28.....	20.833 ± 0.035	20.597 ± 0.032	19.840 ± 0.025	19.351 ± 0.021	18.948 ± 0.021	2.838
29.....	19.454 ± 0.013	19.528 ± 0.015	19.273 ± 0.016	19.222 ± 0.019	19.032 ± 0.021	2.580
30.....	19.491 ± 0.016	20.598 ± 0.034	20.624 ± 0.038	20.466 ± 0.036	20.632 ± 0.039	1.032
31.....	20.538 ± 0.042	20.619 ± 0.052	20.070 ± 0.037	19.696 ± 0.031	19.241 ± 0.024	2.322
32.....	18.829 ± 0.010	19.070 ± 0.012	18.787 ± 0.012	18.668 ± 0.014	18.519 ± 0.017	1.806
33.....	20.229 ± 0.030	20.331 ± 0.037	19.880 ± 0.031	19.783 ± 0.037	19.565 ± 0.038	2.064
34.....	20.661 ± 0.037	20.895 ± 0.052	20.356 ± 0.046	19.783 ± 0.036	19.220 ± 0.027	1.806
35.....	17.657 ± 0.006	18.675 ± 0.012	18.592 ± 0.016	18.341 ± 0.016	18.534 ± 0.021	1.806
36.....	19.882 ± 0.026	19.842 ± 0.028	19.443 ± 0.025	19.256 ± 0.025	19.006 ± 0.024	2.064
37.....	19.996 ± 0.021	19.886 ± 0.028	19.430 ± 0.025	19.095 ± 0.023	18.682 ± 0.022	2.322
38.....	21.435 ± 0.063	21.244 ± 0.069	19.690 ± 0.022	18.852 ± 0.014	18.107 ± 0.009	1.806
40.....	19.872 ± 0.033	19.815 ± 0.036	19.027 ± 0.025	18.674 ± 0.023	18.244 ± 0.019	3.096
41.....	19.058 ± 0.010	19.095 ± 0.012	18.810 ± 0.012	18.668 ± 0.014	18.462 ± 0.017	3.096
42.....	18.324 ± 0.030	18.689 ± 0.027	18.557 ± 0.026	18.408 ± 0.033	18.175 ± 0.031	3.612
44.....	20.989 ± 0.044	20.823 ± 0.046	20.180 ± 0.038	19.789 ± 0.034	19.408 ± 0.037	1.290
45.....	21.442 ± 0.055	21.055 ± 0.046	20.170 ± 0.032	19.610 ± 0.024	19.120 ± 0.023	1.290
46.....	23.105 ± 0.190	23.243 ± 0.222	22.556 ± 0.163	21.946 ± 0.118	22.152 ± 0.159	1.032
47.....	17.549 ± 0.014	18.519 ± 0.020	18.303 ± 0.020	18.216 ± 0.021	18.482 ± 0.029	2.580
48.....	17.628 ± 0.008	18.875 ± 0.020	18.491 ± 0.017	18.057 ± 0.016	18.297 ± 0.024	3.354
49.....	19.362 ± 0.021	19.129 ± 0.020	18.323 ± 0.013	17.752 ± 0.010	17.258 ± 0.008	3.096
51.....	20.151 ± 0.018	20.989 ± 0.029	20.869 ± 0.034	20.950 ± 0.044	21.035 ± 0.055	1.032
52.....	20.467 ± 0.041	20.479 ± 0.044	19.778 ± 0.035	19.410 ± 0.031	19.018 ± 0.029	2.322
53.....	18.609 ± 0.007	18.657 ± 0.009	18.285 ± 0.010	18.055 ± 0.010	17.645 ± 0.010	3.096
54.....	20.327 ± 0.031	20.227 ± 0.033	19.683 ± 0.026	19.208 ± 0.025	18.812 ± 0.023	2.064
55.....	20.618 ± 0.047	20.371 ± 0.036	19.752 ± 0.036	19.277 ± 0.032	18.607 ± 0.023	3.096
56.....	19.868 ± 0.027	20.900 ± 0.046	20.933 ± 0.054	21.051 ± 0.066	21.475 ± 0.130	1.032
58.....	19.668 ± 0.021	19.806 ± 0.024	19.354 ± 0.024	19.078 ± 0.024	18.625 ± 0.022	3.096
59.....	16.966 ± 0.004	17.394 ± 0.005	17.089 ± 0.006	16.879 ± 0.006	16.492 ± 0.007	3.096
61.....	20.024 ± 0.030	19.868 ± 0.034	19.274 ± 0.030	18.946 ± 0.030	18.346 ± 0.027	2.838
63.....	20.059 ± 0.025	20.092 ± 0.029	19.569 ± 0.030	19.245 ± 0.031	18.945 ± 0.031	2.064
65.....	19.846 ± 0.024	19.674 ± 0.022	19.034 ± 0.019	18.596 ± 0.020	18.083 ± 0.020	3.354
66.....	20.577 ± 0.035	20.479 ± 0.042	19.249 ± 0.026	18.307 ± 0.014	17.348 ± 0.012	1.548
67.....	18.273 ± 0.008	18.678 ± 0.011	18.473 ± 0.012	18.421 ± 0.013	18.186 ± 0.015	1.806
68.....	18.834 ± 0.017	18.962 ± 0.018	18.630 ± 0.022	18.498 ± 0.026	18.006 ± 0.026	3.096
70.....	17.559 ± 0.006	17.893 ± 0.008	17.588 ± 0.008	17.410 ± 0.008	17.090 ± 0.008	2.322
71.....	19.768 ± 0.027	19.769 ± 0.031	19.121 ± 0.021	18.725 ± 0.018	18.300 ± 0.018	2.580
72.....	19.918 ± 0.019	20.033 ± 0.023	19.624 ± 0.026	19.467 ± 0.032	19.181 ± 0.041	2.322
74.....	19.858 ± 0.029	20.070 ± 0.037	19.603 ± 0.039	19.414 ± 0.051	18.899 ± 0.052	2.580
75.....	20.682 ± 0.041	20.538 ± 0.043	19.917 ± 0.034	19.551 ± 0.030	18.916 ± 0.027	2.064
76.....	19.825 ± 0.023	20.280 ± 0.034	20.039 ± 0.037	19.970 ± 0.048	19.501 ± 0.041	2.064
77.....	19.432 ± 0.018	19.203 ± 0.018	18.356 ± 0.011	17.828 ± 0.009	17.282 ± 0.007	2.322
78.....	19.065 ± 0.015	19.222 ± 0.018	18.882 ± 0.021	18.655 ± 0.026	18.384 ± 0.030	3.096
79.....	18.711 ± 0.009	19.286 ± 0.016	19.178 ± 0.019	19.189 ± 0.024	18.972 ± 0.024	1.806
80.....	18.128 ± 0.012	18.197 ± 0.012	17.811 ± 0.011	17.596 ± 0.013	17.278 ± 0.014	2.064
81.....	19.671 ± 0.024	19.655 ± 0.022	19.085 ± 0.021	18.670 ± 0.018	18.137 ± 0.015	2.064
82.....	20.893 ± 0.040	20.910 ± 0.043	20.326 ± 0.037	19.961 ± 0.036	19.497 ± 0.031	2.580
83.....	20.234 ± 0.043	20.186 ± 0.037	19.696 ± 0.034	19.486 ± 0.036	19.032 ± 0.034	2.064
84.....	19.537 ± 0.024	19.457 ± 0.026	19.069 ± 0.025	18.791 ± 0.026	18.634 ± 0.032	2.580
85.....	17.387 ± 0.006	17.836 ± 0.009	17.574 ± 0.010	17.402 ± 0.011	17.109 ± 0.012	2.064
86.....	18.774 ± 0.012	19.074 ± 0.018	18.648 ± 0.018	18.285 ± 0.020	17.687 ± 0.018	2.838
87.....	19.149 ± 0.025	19.197 ± 0.024	18.420 ± 0.021	17.789 ± 0.018	17.247 ± 0.017	3.612
88.....	19.292 ± 0.023	19.707 ± 0.032	19.463 ± 0.034	19.194 ± 0.029	18.971 ± 0.032	1.806
89.....	18.402 ± 0.011	18.623 ± 0.015	18.331 ± 0.015	18.099 ± 0.018	17.798 ± 0.018	3.354
90.....	20.020 ± 0.017	20.036 ± 0.018	19.721 ± 0.007	19.373 ± 0.018	19.259 ± 0.025	1.806
91.....	18.940 ± 0.022	18.657 ± 0.016	17.788 ± 0.011	17.236 ± 0.008	16.692 ± 0.008	4.128
92.....	19.499 ± 0.016	19.571 ± 0.018	19.131 ± 0.017	18.900 ± 0.020	18.567 ± 0.023	2.580
93.....	17.922 ± 0.014	17.919 ± 0.014	17.492 ± 0.014	17.244 ± 0.017	16.784 ± 0.016	3.612
94.....	17.922 ± 0.010	18.052 ± 0.011	17.711 ± 0.011	17.500 ± 0.012	17.198 ± 0.013	2.580
95.....	18.092 ± 0.011	18.042 ± 0.010	17.286 ± 0.008	16.846 ± 0.008	16.379 ± 0.007	3.096
96.....	19.942 ± 0.037	19.718 ± 0.029	19.122 ± 0.028	18.793 ± 0.032	18.216 ± 0.027	3.096
97.....	20.458 ± 0.055	20.012 ± 0.040	19.146 ± 0.025	18.669 ± 0.020	18.157 ± 0.016	3.096

TABLE 1
CONTINUED.

Object	<i>U</i> mag	<i>B</i> mag	<i>V</i> mag	<i>R</i> mag	<i>I</i> mag	r_{ap} ''
98.....	18.044 ± 0.009	18.387 ± 0.012	18.120 ± 0.012	17.975 ± 0.015	17.689 ± 0.016	2.580
100.....	21.212 ± 0.038	21.242 ± 0.041	20.846 ± 0.046	20.640 ± 0.062	20.343 ± 0.067	1.806
101.....	19.138 ± 0.023	18.832 ± 0.021	18.010 ± 0.013	17.518 ± 0.011	16.917 ± 0.009	3.612
102.....	18.988 ± 0.026	18.741 ± 0.022	18.036 ± 0.014	17.644 ± 0.012	17.206 ± 0.010	3.870
103.....	19.216 ± 0.016	19.034 ± 0.015	18.478 ± 0.014	18.142 ± 0.017	17.722 ± 0.015	3.870
104.....	18.492 ± 0.011	18.711 ± 0.014	18.376 ± 0.016	18.111 ± 0.018	17.681 ± 0.021	2.838
105.....	17.983 ± 0.010	18.380 ± 0.015	18.040 ± 0.016	17.752 ± 0.016	17.125 ± 0.014	2.580
106.....	19.034 ± 0.017	18.988 ± 0.020	18.650 ± 0.021	18.387 ± 0.024	18.135 ± 0.027	2.580
107.....	17.323 ± 0.007	18.761 ± 0.018	18.070 ± 0.013	17.388 ± 0.010	18.049 ± 0.023	3.096
108.....	19.614 ± 0.019	19.380 ± 0.018	18.722 ± 0.015	18.224 ± 0.014	17.743 ± 0.013	3.354
109.....	19.799 ± 0.025	19.766 ± 0.025	19.372 ± 0.029	19.083 ± 0.030	18.775 ± 0.033	3.354
110.....	18.750 ± 0.015	18.581 ± 0.015	17.979 ± 0.013	17.619 ± 0.015	17.241 ± 0.017	3.354
111.....	20.304 ± 0.024	20.313 ± 0.025	19.843 ± 0.025	19.557 ± 0.025	19.267 ± 0.030	2.580
112.....	19.340 ± 0.018	19.253 ± 0.017	18.842 ± 0.020	18.525 ± 0.021	17.993 ± 0.019	3.096
113.....	17.160 ± 0.006	17.610 ± 0.008	17.309 ± 0.008	17.099 ± 0.008	16.750 ± 0.009	2.322
114.....	18.497 ± 0.010	19.013 ± 0.014	18.762 ± 0.016	18.690 ± 0.020	18.445 ± 0.022	2.322
115.....	20.142 ± 0.027	20.092 ± 0.026	19.598 ± 0.026	19.340 ± 0.027	19.087 ± 0.031	3.096
116.....	22.819 ± 0.252	23.218 ± 0.476	21.174 ± 0.116	20.330 ± 0.085	19.483 ± 0.071	1.548
117.....	19.530 ± 0.024	19.385 ± 0.022	18.755 ± 0.017	18.437 ± 0.020	18.014 ± 0.025	2.322
118.....	20.512 ± 0.036	20.632 ± 0.042	20.077 ± 0.039	19.662 ± 0.038	19.075 ± 0.029	1.290
119.....	17.407 ± 0.007	18.447 ± 0.016	18.232 ± 0.017	17.774 ± 0.015	18.029 ± 0.028	2.580
120.....	20.888 ± 0.070	21.103 ± 0.084	20.262 ± 0.050	19.754 ± 0.045	18.969 ± 0.030	1.806
121.....	19.359 ± 0.019	19.160 ± 0.018	18.551 ± 0.018	18.132 ± 0.016	17.645 ± 0.015	4.128
122.....	19.095 ± 0.016	18.980 ± 0.016	18.462 ± 0.015	18.151 ± 0.016	17.678 ± 0.015	3.354
123.....	19.289 ± 0.033	19.494 ± 0.036	19.244 ± 0.039	19.197 ± 0.053	18.868 ± 0.062	2.580
124.....	19.459 ± 0.019	19.305 ± 0.020	18.812 ± 0.022	18.512 ± 0.023	18.079 ± 0.027	1.806
125.....	19.053 ± 0.015	19.262 ± 0.018	18.959 ± 0.020	18.745 ± 0.024	18.199 ± 0.024	2.322
126.....	18.674 ± 0.028	19.036 ± 0.022	18.637 ± 0.019	18.300 ± 0.026	17.931 ± 0.023	2.580
127.....	19.549 ± 0.022	19.791 ± 0.029	19.172 ± 0.025	18.821 ± 0.026	18.196 ± 0.023	3.096
128.....	19.285 ± 0.068	20.270 ± 0.067	19.814 ± 0.069	19.152 ± 0.070	19.436 ± 0.062	0.774
129.....	20.925 ± 0.040	20.863 ± 0.039	20.094 ± 0.030	19.502 ± 0.023	18.756 ± 0.017	2.580
130.....	19.988 ± 0.029	19.447 ± 0.019	18.373 ± 0.013	17.692 ± 0.010	17.099 ± 0.009	2.838
131.....	19.579 ± 0.026	19.616 ± 0.031	19.125 ± 0.029	18.728 ± 0.027	18.389 ± 0.041	2.322
132.....	16.998 ± 0.007	17.640 ± 0.009	17.511 ± 0.008	17.550 ± 0.011	17.520 ± 0.013	1.548
134.....	18.184 ± 0.010	18.429 ± 0.012	18.067 ± 0.012	17.831 ± 0.013	17.475 ± 0.014	2.064
136.....	19.054 ± 0.021	19.051 ± 0.020	18.560 ± 0.016	18.188 ± 0.014	17.690 ± 0.011	2.580
137.....	18.715 ± 0.013	19.593 ± 0.016	19.440 ± 0.018	19.367 ± 0.027	19.351 ± 0.033	1.548
138.....	18.904 ± 0.013	19.168 ± 0.016	18.651 ± 0.015	18.293 ± 0.015	17.903 ± 0.014	2.838
139.....	18.743 ± 0.015	19.202 ± 0.020	18.848 ± 0.023	18.634 ± 0.023	18.206 ± 0.023	1.806
140.....	17.118 ± 0.005	17.416 ± 0.006	17.122 ± 0.006	16.936 ± 0.007	16.679 ± 0.008	2.064
141.....	17.788 ± 0.007	18.107 ± 0.009	17.729 ± 0.008	17.484 ± 0.008	17.074 ± 0.008	2.580
142.....	20.312 ± 0.057	20.373 ± 0.035	19.495 ± 0.026	18.878 ± 0.025	18.336 ± 0.021	2.580
143.....	18.405 ± 0.014	18.328 ± 0.013	17.496 ± 0.009	16.971 ± 0.009	16.395 ± 0.009	2.838
144.....	17.449 ± 0.005	17.852 ± 0.008	17.573 ± 0.008	17.448 ± 0.009	17.160 ± 0.012	2.322
145.....	19.261 ± 0.018	19.166 ± 0.018	18.548 ± 0.015	18.242 ± 0.015	17.915 ± 0.018	2.322
146.....	18.760 ± 0.015	19.100 ± 0.017	18.733 ± 0.020	18.461 ± 0.026	18.028 ± 0.029	3.096
147.....	19.231 ± 0.016	19.231 ± 0.017	18.556 ± 0.015	17.991 ± 0.014	17.313 ± 0.012	3.096
148.....	20.048 ± 0.026	19.934 ± 0.026	19.344 ± 0.025	18.885 ± 0.023	18.202 ± 0.020	2.838
149.....	19.696 ± 0.019	19.679 ± 0.021	19.037 ± 0.017	18.574 ± 0.017	18.095 ± 0.016	3.096
150.....	19.582 ± 0.023	19.893 ± 0.032	19.403 ± 0.036	18.976 ± 0.032	18.718 ± 0.042	4.386
151.....	19.153 ± 0.012	19.101 ± 0.014	18.719 ± 0.015	18.558 ± 0.018	18.301 ± 0.021	2.322
152.....	16.122 ± 0.004	16.652 ± 0.005	16.462 ± 0.005	16.387 ± 0.006	16.186 ± 0.006	3.354
153.....	20.419 ± 0.078	20.537 ± 0.067	20.047 ± 0.051	19.653 ± 0.044	18.814 ± 0.032	1.290
154.....	15.738 ± 0.004	16.316 ± 0.004	15.993 ± 0.004	15.714 ± 0.004	15.209 ± 0.004	2.322
155.....	20.530 ± 0.072	20.421 ± 0.060	20.033 ± 0.051	19.718 ± 0.043	19.386 ± 0.042	1.806
156.....	16.743 ± 0.004	17.268 ± 0.005	17.036 ± 0.006	16.922 ± 0.007	16.649 ± 0.008	3.096
157.....	19.256 ± 0.016	19.688 ± 0.024	19.458 ± 0.028	19.473 ± 0.045	19.266 ± 0.059	2.838
158.....	20.524 ± 0.037	20.503 ± 0.043	19.824 ± 0.030	19.381 ± 0.025	18.817 ± 0.019	2.064
159.....	19.762 ± 0.028	19.855 ± 0.034	19.244 ± 0.027	18.852 ± 0.027	18.393 ± 0.022	2.322
161.....	18.969 ± 0.016	19.144 ± 0.019	18.757 ± 0.018	18.484 ± 0.019	17.985 ± 0.020	2.322
162.....	18.892 ± 0.017	19.445 ± 0.029	19.216 ± 0.033	18.820 ± 0.034	18.186 ± 0.028	3.096
163.....	19.314 ± 0.022	19.889 ± 0.033	19.891 ± 0.043	19.900 ± 0.058	20.002 ± 0.083	2.064
165.....	19.411 ± 0.025	19.411 ± 0.023	19.028 ± 0.027	18.702 ± 0.028	18.354 ± 0.030	3.354
166.....	21.438 ± 0.078	20.996 ± 0.051	19.970 ± 0.036	19.237 ± 0.026	18.399 ± 0.018	2.580
167.....	20.087 ± 0.028	20.029 ± 0.034	19.624 ± 0.033	19.531 ± 0.042	19.136 ± 0.044	2.322
168.....	18.220 ± 0.014	18.666 ± 0.018	18.224 ± 0.021	17.875 ± 0.022	17.461 ± 0.024	2.580
169.....	16.659 ± 0.004	17.383 ± 0.008	17.306 ± 0.011	17.376 ± 0.016	17.293 ± 0.023	3.096
171.....	17.938 ± 0.011	18.784 ± 0.023	18.459 ± 0.030	17.892 ± 0.024	17.849 ± 0.033	2.322
172.....	17.035 ± 0.005	17.520 ± 0.007	17.347 ± 0.008	17.256 ± 0.009	17.107 ± 0.010	2.322
173.....	18.955 ± 0.011	19.192 ± 0.017	18.871 ± 0.016	18.711 ± 0.018	18.483 ± 0.018	2.064
174.....	18.338 ± 0.010	18.633 ± 0.014	18.283 ± 0.014	18.104 ± 0.013	17.717 ± 0.015	2.580
175.....	18.100 ± 0.006	19.189 ± 0.014	19.154 ± 0.020	18.661 ± 0.019	18.903 ± 0.035	2.322
176.....	17.501 ± 0.007	17.762 ± 0.008	17.487 ± 0.009	17.403 ± 0.013	17.183 ± 0.018	2.064
178.....	17.210 ± 0.005	17.081 ± 0.005	16.298 ± 0.004	15.823 ± 0.004	15.311 ± 0.003	3.354
179.....	19.933 ± 0.022	20.018 ± 0.028	19.764 ± 0.033	19.612 ± 0.041	19.323 ± 0.051	1.806
180.....	19.752 ± 0.027	19.701 ± 0.028	19.060 ± 0.022	18.674 ± 0.020	17.932 ± 0.014	2.580
181.....	18.959 ± 0.016	18.979 ± 0.017	18.573 ± 0.016	18.330 ± 0.016	17.978 ± 0.015	2.580
182.....	19.858 ± 0.025	19.707 ± 0.023	19.022 ± 0.021	18.488 ± 0.017	17.990 ± 0.015	2.838
183.....	19.325 ± 0.016	19.519 ± 0.021	19.188 ± 0.027	19.006 ± 0.038	18.633 ± 0.041	2.838
184.....	19.508 ± 0.025	19.618 ± 0.028	18.759 ± 0.017	18.275 ± 0.016	17.677 ± 0.012	2.580

TABLE 1
CONTINUED.

Object	U mag	B mag	V mag	R mag	I mag	r_{ap} "
185.....	20.203 $\pm$ 0.019	20.930 $\pm$ 0.036	20.704 $\pm$ 0.044	20.583 $\pm$ 0.053	20.406 $\pm$ 0.079	1.806
186.....	19.478 $\pm$ 0.020	19.336 $\pm$ 0.020	18.625 $\pm$ 0.018	18.236 $\pm$ 0.018	17.741 $\pm$ 0.015	2.580
187.....	20.636 $\pm$ 0.028	20.687 $\pm$ 0.031	20.261 $\pm$ 0.032	19.966 $\pm$ 0.039	19.332 $\pm$ 0.035	1.548
188.....	18.677 $\pm$ 0.018	18.552 $\pm$ 0.017	17.665 $\pm$ 0.011	17.135 $\pm$ 0.008	16.643 $\pm$ 0.007	3.870
189.....	20.587 $\pm$ 0.039	20.582 $\pm$ 0.040	19.922 $\pm$ 0.035	19.511 $\pm$ 0.036	19.024 $\pm$ 0.036	2.322
190.....	18.197 $\pm$ 0.008	18.424 $\pm$ 0.011	18.132 $\pm$ 0.011	17.965 $\pm$ 0.013	17.650 $\pm$ 0.016	2.580
191.....	18.917 $\pm$ 0.014	18.800 $\pm$ 0.014	18.316 $\pm$ 0.015	18.037 $\pm$ 0.015	17.654 $\pm$ 0.015	2.322
192.....	19.841 $\pm$ 0.044	19.831 $\pm$ 0.036	19.131 $\pm$ 0.032	18.765 $\pm$ 0.034	18.139 $\pm$ 0.033	2.838
193.....	21.321 $\pm$ 0.086	21.656 $\pm$ 0.106	20.775 $\pm$ 0.065	20.271 $\pm$ 0.067	19.780 $\pm$ 0.071	2.064
194.....	17.295 $\pm$ 0.005	17.676 $\pm$ 0.007	17.488 $\pm$ 0.008	17.374 $\pm$ 0.008	17.169 $\pm$ 0.010	3.870
195.....	22.958 $\pm$ 0.584	21.987 $\pm$ 0.252	20.732 $\pm$ 0.108	19.842 $\pm$ 0.064	18.925 $\pm$ 0.046	1.806
196.....	21.590 $\pm$ 0.067	21.499 $\pm$ 0.066	20.874 $\pm$ 0.059	20.530 $\pm$ 0.062	20.242 $\pm$ 0.066	1.806
197.....	15.544 $\pm$ 0.002	16.405 $\pm$ 0.004	16.384 $\pm$ 0.005	16.515 $\pm$ 0.008	16.604 $\pm$ 0.014	2.064
198.....	16.373 $\pm$ 0.008	17.087 $\pm$ 0.010	16.779 $\pm$ 0.009	16.383 $\pm$ 0.008	15.654 $\pm$ 0.006	2.064
199.....	18.074 $\pm$ 0.014	18.320 $\pm$ 0.017	17.891 $\pm$ 0.018	17.730 $\pm$ 0.020	17.543 $\pm$ 0.027	3.354
200.....	19.826 $\pm$ 0.055	19.836 $\pm$ 0.048	19.204 $\pm$ 0.037	18.686 $\pm$ 0.041	18.217 $\pm$ 0.045	3.096
201.....	18.755 $\pm$ 0.015	18.877 $\pm$ 0.017	18.494 $\pm$ 0.019	18.302 $\pm$ 0.022	17.913 $\pm$ 0.026	2.322
202.....	19.292 $\pm$ 0.017	19.144 $\pm$ 0.017	18.662 $\pm$ 0.017	18.388 $\pm$ 0.017	17.926 $\pm$ 0.017	2.838
203.....	19.893 $\pm$ 0.019	20.669 $\pm$ 0.034	20.378 $\pm$ 0.037	20.401 $\pm$ 0.063	20.069 $\pm$ 0.074	1.290
204.....	18.993 $\pm$ 0.019	19.402 $\pm$ 0.025	19.107 $\pm$ 0.029	19.015 $\pm$ 0.038	18.903 $\pm$ 0.056	2.580
205.....	17.805 $\pm$ 0.009	18.976 $\pm$ 0.014	18.838 $\pm$ 0.018	18.433 $\pm$ 0.022	19.014 $\pm$ 0.043	2.322
206.....	18.297 $\pm$ 0.010	18.126 $\pm$ 0.009	17.290 $\pm$ 0.007	16.773 $\pm$ 0.006	16.277 $\pm$ 0.006	3.354
207.....	19.445 $\pm$ 0.018	19.664 $\pm$ 0.022	19.307 $\pm$ 0.023	19.081 $\pm$ 0.029	18.776 $\pm$ 0.038	1.806
208.....	19.711 $\pm$ 0.025	19.482 $\pm$ 0.022	18.882 $\pm$ 0.024	18.538 $\pm$ 0.026	18.019 $\pm$ 0.024	2.838
209.....	19.622 $\pm$ 0.026	19.699 $\pm$ 0.029	19.203 $\pm$ 0.030	18.844 $\pm$ 0.030	18.568 $\pm$ 0.033	2.838
210.....	20.357 $\pm$ 0.025	20.633 $\pm$ 0.032	20.288 $\pm$ 0.034	20.051 $\pm$ 0.036	19.682 $\pm$ 0.039	1.548
211.....	19.328 $\pm$ 0.014	19.563 $\pm$ 0.021	19.144 $\pm$ 0.021	18.906 $\pm$ 0.023	18.674 $\pm$ 0.030	2.580
212.....	19.574 $\pm$ 0.026	19.776 $\pm$ 0.030	19.267 $\pm$ 0.030	18.756 $\pm$ 0.029	18.221 $\pm$ 0.025	2.580
213.....	19.655 $\pm$ 0.013	20.671 $\pm$ 0.032	20.619 $\pm$ 0.029	20.721 $\pm$ 0.036	20.901 $\pm$ 0.037	0.774
214.....	17.556 $\pm$ 0.006	17.889 $\pm$ 0.008	17.549 $\pm$ 0.008	17.337 $\pm$ 0.009	16.997 $\pm$ 0.009	3.096
215.....	16.544 $\pm$ 0.009	17.464 $\pm$ 0.010	17.259 $\pm$ 0.009	17.089 $\pm$ 0.013	17.268 $\pm$ 0.011	1.548
216.....		19.095 $\pm$ 0.018	18.577 $\pm$ 0.018	18.236 $\pm$ 0.018	15.343 $\pm$ 0.002	3.612
217.....	19.103 $\pm$ 0.023	19.364 $\pm$ 0.032	18.886 $\pm$ 0.041	18.612 $\pm$ 0.060	18.305 $\pm$ 0.065	3.354
218.....	19.411 $\pm$ 0.023	19.608 $\pm$ 0.031	19.235 $\pm$ 0.040	19.090 $\pm$ 0.058	18.062 $\pm$ 0.039	2.064
219.....	18.357 $\pm$ 0.019	18.403 $\pm$ 0.018	17.988 $\pm$ 0.018	17.686 $\pm$ 0.015	17.341 $\pm$ 0.018	2.580
220.....	17.934 $\pm$ 0.015	18.163 $\pm$ 0.014	17.886 $\pm$ 0.014	17.756 $\pm$ 0.014	17.578 $\pm$ 0.018	2.580
221.....	18.871 $\pm$ 0.030	18.941 $\pm$ 0.024	18.589 $\pm$ 0.026	18.442 $\pm$ 0.031	18.254 $\pm$ 0.040	2.580
222.....	16.776 $\pm$ 0.005	16.981 $\pm$ 0.006	16.623 $\pm$ 0.006	16.415 $\pm$ 0.006	16.070 $\pm$ 0.006	3.354
223.....	18.510 $\pm$ 0.014	19.563 $\pm$ 0.031	19.405 $\pm$ 0.040	18.829 $\pm$ 0.032	19.061 $\pm$ 0.061	1.548
224.....	18.578 $\pm$ 0.020	19.196 $\pm$ 0.032	18.984 $\pm$ 0.042	18.359 $\pm$ 0.035	18.205 $\pm$ 0.043	3.096
227.....	19.209 $\pm$ 0.012	19.387 $\pm$ 0.015	19.061 $\pm$ 0.016	18.937 $\pm$ 0.017	18.740 $\pm$ 0.019	2.064
228.....	17.928 $\pm$ 0.011	18.473 $\pm$ 0.016	18.173 $\pm$ 0.017	17.898 $\pm$ 0.019	17.336 $\pm$ 0.018	2.064
229.....	19.210 $\pm$ 0.030	19.419 $\pm$ 0.032	19.053 $\pm$ 0.034	18.977 $\pm$ 0.047	18.606 $\pm$ 0.051	2.838
231.....	19.427 $\pm$ 0.015	19.490 $\pm$ 0.020	18.971 $\pm$ 0.019	18.670 $\pm$ 0.021	18.237 $\pm$ 0.024	1.548
232.....	19.908 $\pm$ 0.037	19.756 $\pm$ 0.034	19.153 $\pm$ 0.035	18.636 $\pm$ 0.039	18.011 $\pm$ 0.038	2.838
233.....	18.963 $\pm$ 0.016	19.152 $\pm$ 0.021	18.579 $\pm$ 0.019	18.187 $\pm$ 0.020	17.647 $\pm$ 0.016	3.096
234.....	19.550 $\pm$ 0.026	19.532 $\pm$ 0.029	18.666 $\pm$ 0.022	18.209 $\pm$ 0.019	17.612 $\pm$ 0.017	3.096
235.....	19.958 $\pm$ 0.035	19.738 $\pm$ 0.028	19.079 $\pm$ 0.022	18.566 $\pm$ 0.022	17.970 $\pm$ 0.018	2.838
236.....	19.667 $\pm$ 0.037	19.696 $\pm$ 0.038	19.245 $\pm$ 0.039	18.962 $\pm$ 0.042	18.699 $\pm$ 0.059	2.580
237.....	18.440 $\pm$ 0.012	18.583 $\pm$ 0.014	18.223 $\pm$ 0.019	17.908 $\pm$ 0.026	17.584 $\pm$ 0.036	2.064
238.....	19.724 $\pm$ 0.016	19.634 $\pm$ 0.017	19.097 $\pm$ 0.017	18.793 $\pm$ 0.021	18.350 $\pm$ 0.023	1.806
239.....	18.122 $\pm$ 0.008	18.208 $\pm$ 0.011	17.904 $\pm$ 0.012	17.773 $\pm$ 0.015	17.585 $\pm$ 0.018	3.354
240.....	19.751 $\pm$ 0.019	19.794 $\pm$ 0.022	19.356 $\pm$ 0.023	18.959 $\pm$ 0.022	18.337 $\pm$ 0.019	1.806
241.....	18.916 $\pm$ 0.037	18.945 $\pm$ 0.029	18.133 $\pm$ 0.020	17.699 $\pm$ 0.021	17.172 $\pm$ 0.019	2.838
242.....	18.059 $\pm$ 0.009	19.351 $\pm$ 0.020	19.185 $\pm$ 0.023	18.429 $\pm$ 0.019	19.082 $\pm$ 0.052	2.322
243.....	16.525 $\pm$ 0.004	17.202 $\pm$ 0.006	17.078 $\pm$ 0.006	16.971 $\pm$ 0.007	16.718 $\pm$ 0.008	2.580
244.....	19.380 $\pm$ 0.013	19.566 $\pm$ 0.018	19.195 $\pm$ 0.019	18.915 $\pm$ 0.018	18.469 $\pm$ 0.016	3.096
245.....	17.237 $\pm$ 0.007	17.497 $\pm$ 0.009	17.173 $\pm$ 0.009	16.945 $\pm$ 0.010	16.640 $\pm$ 0.011	3.096
246.....	16.925 $\pm$ 0.006	17.607 $\pm$ 0.010	17.459 $\pm$ 0.013	17.392 $\pm$ 0.019	17.267 $\pm$ 0.030	3.096
247.....	17.698 $\pm$ 0.007	18.275 $\pm$ 0.010	18.121 $\pm$ 0.016	18.037 $\pm$ 0.022	17.723 $\pm$ 0.026	2.322
248.....	18.429 $\pm$ 0.019	18.617 $\pm$ 0.020	18.223 $\pm$ 0.027	18.034 $\pm$ 0.041	17.428 $\pm$ 0.039	3.096
249.....	17.968 $\pm$ 0.014	18.976 $\pm$ 0.018	18.887 $\pm$ 0.021	18.375 $\pm$ 0.023	18.613 $\pm$ 0.038	2.064
250.....	19.204 $\pm$ 0.038	19.580 $\pm$ 0.036	19.349 $\pm$ 0.038	19.368 $\pm$ 0.051	19.556 $\pm$ 0.094	1.548
251.....	17.537 $\pm$ 0.007	18.516 $\pm$ 0.013	18.273 $\pm$ 0.014	17.704 $\pm$ 0.012	17.839 $\pm$ 0.019	2.580
252.....	19.250 $\pm$ 0.018	19.257 $\pm$ 0.026	18.744 $\pm$ 0.023	18.437 $\pm$ 0.024	18.055 $\pm$ 0.025	2.322
253.....	20.722 $\pm$ 0.045	21.110 $\pm$ 0.066	20.795 $\pm$ 0.071	20.679 $\pm$ 0.088	20.350 $\pm$ 0.109	1.806
254.....	20.290 $\pm$ 0.026	20.447 $\pm$ 0.032	19.981 $\pm$ 0.028	19.557 $\pm$ 0.025	19.143 $\pm$ 0.029	1.806
255.....	16.311 $\pm$ 0.005	16.863 $\pm$ 0.007	16.709 $\pm$ 0.008	16.618 $\pm$ 0.010	16.299 $\pm$ 0.011	3.612
256.....	20.408 $\pm$ 0.026	20.660 $\pm$ 0.035	20.178 $\pm$ 0.033	20.017 $\pm$ 0.040	19.718 $\pm$ 0.042	1.806
257.....	16.763 $\pm$ 0.003	17.551 $\pm$ 0.007	17.362 $\pm$ 0.007	17.338 $\pm$ 0.010	17.379 $\pm$ 0.016	2.580
258.....	19.355 $\pm$ 0.070	19.807 $\pm$ 0.087	19.081 $\pm$ 0.073	18.564 $\pm$ 0.066	17.961 $\pm$ 0.064	2.580
259.....	17.118 $\pm$ 0.006	18.337 $\pm$ 0.014	17.962 $\pm$ 0.016	17.328 $\pm$ 0.012	17.900 $\pm$ 0.028	4.128
260.....	15.451 $\pm$ 0.003	16.230 $\pm$ 0.004	16.109 $\pm$ 0.004	15.920 $\pm$ 0.004	15.471 $\pm$ 0.004	3.096
261.....	16.553 $\pm$ 0.004	16.612 $\pm$ 0.004	15.953 $\pm$ 0.003	15.650 $\pm$ 0.003	15.356 $\pm$ 0.003	2.580
262.....	19.569 $\pm$ 0.024	19.587 $\pm$ 0.025	19.179 $\pm$ 0.025	18.818 $\pm$ 0.025	18.474 $\pm$ 0.027	2.322
263.....	19.098 $\pm$ 0.017	19.094 $\pm$ 0.019	18.576 $\pm$ 0.017	18.235 $\pm$ 0.016	17.825 $\pm$ 0.016	3.354
264.....	19.214 $\pm$ 0.027	19.131 $\pm$ 0.023	18.534 $\pm$ 0.021	18.040 $\pm$ 0.020	17.505 $\pm$ 0.022	2.580
265.....	18.925 $\pm$ 0.022	19.072 $\pm$ 0.024	18.619 $\pm$ 0.025	18.228 $\pm$ 0.025	17.720 $\pm$ 0.024	3.096
266.....	20.705 $\pm$ 0.056	20.629 $\pm$ 0.052	19.959 $\pm$ 0.042	19.681 $\pm$ 0.049	19.240 $\pm$ 0.049	2.322
267.....	18.397 $\pm$ 0.018	18.638 $\pm$ 0.021	18.241 $\pm$ 0.022	18.136 $\pm$ 0.037	17.823 $\pm$ 0.047	2.580

TABLE 1
CONTINUED.

Object	<i>U</i> mag	<i>B</i> mag	<i>V</i> mag	<i>R</i> mag	<i>I</i> mag	r_{ap} "
269.....	17.807 ± 0.007	18.087 ± 0.010	17.756 ± 0.011	17.595 ± 0.016	17.353 ± 0.021	3.096
270.....	18.347 ± 0.014	18.412 ± 0.014	17.930 ± 0.013	17.635 ± 0.014	17.276 ± 0.014	3.354
271.....	18.976 ± 0.018	19.031 ± 0.021	18.528 ± 0.020	18.159 ± 0.020	17.686 ± 0.020	3.354
272.....	18.574 ± 0.025	18.819 ± 0.027	18.512 ± 0.030	18.417 ± 0.041	18.083 ± 0.053	3.354
273.....	17.346 ± 0.007	17.198 ± 0.006	16.399 ± 0.005	15.922 ± 0.005	15.414 ± 0.006	3.354
274.....	18.202 ± 0.009	19.119 ± 0.018	18.956 ± 0.020	18.525 ± 0.019	18.377 ± 0.024	2.838
275.....	17.815 ± 0.008	17.521 ± 0.008	16.545 ± 0.006	15.930 ± 0.005	15.313 ± 0.005	3.354
276.....	17.566 ± 0.019	18.355 ± 0.016	18.186 ± 0.017	18.110 ± 0.030	18.125 ± 0.025	1.548
279.....	20.562 ± 0.048	19.825 ± 0.027	18.011 ± 0.009	16.889 ± 0.005	15.809 ± 0.003	2.580
280.....	17.863 ± 0.009	18.034 ± 0.010	17.623 ± 0.010	17.369 ± 0.012	16.975 ± 0.014	2.838
281.....	17.163 ± 0.005	17.126 ± 0.005	16.391 ± 0.004	15.936 ± 0.004	15.476 ± 0.004	3.096
282.....	18.759 ± 0.018	18.962 ± 0.021	18.454 ± 0.023	17.997 ± 0.025	17.445 ± 0.027	3.870
283.....	18.992 ± 0.016	19.030 ± 0.016	18.393 ± 0.015	17.960 ± 0.016	17.422 ± 0.016	2.838
284.....	17.037 ± 0.005	17.171 ± 0.006	16.819 ± 0.006	16.655 ± 0.006	16.392 ± 0.006	3.612
285.....	19.554 ± 0.040	19.786 ± 0.045	19.472 ± 0.050	19.375 ± 0.068	18.515 ± 0.048	2.580
286.....	18.559 ± 0.017	18.675 ± 0.019	18.240 ± 0.020	17.859 ± 0.021	17.294 ± 0.019	3.870
287.....	18.787 ± 0.014	19.538 ± 0.027	19.319 ± 0.029	19.312 ± 0.041	19.047 ± 0.057	2.580
288.....	18.949 ± 0.012	18.896 ± 0.012	18.443 ± 0.012	18.170 ± 0.013	17.749 ± 0.014	3.096
289.....	17.954 ± 0.009	18.039 ± 0.011	17.556 ± 0.012	17.248 ± 0.012	16.791 ± 0.012	3.612
290.....	17.579 ± 0.008	18.305 ± 0.014	18.088 ± 0.016	17.897 ± 0.020	17.500 ± 0.021	2.322
291.....	17.591 ± 0.010	18.053 ± 0.012	17.755 ± 0.014	17.463 ± 0.015	16.911 ± 0.014	3.612
292.....	18.654 ± 0.013	19.059 ± 0.017	18.745 ± 0.018	18.423 ± 0.017	17.979 ± 0.016	2.580
294.....	20.679 ± 0.073	20.658 ± 0.067	19.685 ± 0.040	19.041 ± 0.029	18.448 ± 0.027	2.580
295.....	17.918 ± 0.011	18.158 ± 0.013	17.794 ± 0.016	17.522 ± 0.018	17.064 ± 0.021	3.612
296.....	19.458 ± 0.024	19.485 ± 0.033	18.797 ± 0.022	18.372 ± 0.019	17.773 ± 0.015	4.128
298.....	17.582 ± 0.006	17.952 ± 0.008	17.728 ± 0.008	17.646 ± 0.009	17.412 ± 0.009	2.580
299.....	17.503 ± 0.008	18.009 ± 0.011	17.879 ± 0.014	17.752 ± 0.018	17.513 ± 0.021	2.322
300.....	18.696 ± 0.024	18.738 ± 0.023	17.960 ± 0.017	17.532 ± 0.019	17.090 ± 0.022	3.096
301.....	18.934 ± 0.032	18.797 ± 0.030	18.238 ± 0.029	17.678 ± 0.024	17.025 ± 0.019	3.354
302.....	18.823 ± 0.011	19.281 ± 0.019	19.021 ± 0.022	18.881 ± 0.027	18.712 ± 0.039	2.322
303.....	16.506 ± 0.005	17.563 ± 0.009	17.224 ± 0.011	16.807 ± 0.011	17.161 ± 0.020	4.902
304.....	18.884 ± 0.017	19.121 ± 0.021	18.796 ± 0.022	18.638 ± 0.027	18.327 ± 0.034	3.096
305.....	16.199 ± 0.016	17.079 ± 0.014	17.049 ± 0.017	17.149 ± 0.029	17.129 ± 0.015	1.548
306.....	18.946 ± 0.013	18.845 ± 0.013	18.317 ± 0.014	17.959 ± 0.014	17.502 ± 0.014	3.612
307.....	19.410 ± 0.021	19.467 ± 0.025	19.161 ± 0.030	19.146 ± 0.040	18.737 ± 0.042	2.838
308.....	17.669 ± 0.007	18.068 ± 0.009	17.829 ± 0.010	17.688 ± 0.012	17.292 ± 0.012	3.612
310.....	19.074 ± 0.021	19.304 ± 0.023	18.790 ± 0.027	18.367 ± 0.029	17.887 ± 0.034	2.580
311.....	20.539 ± 0.084	20.472 ± 0.073	19.617 ± 0.050	19.150 ± 0.045	18.660 ± 0.036	2.580
312.....	18.566 ± 0.013	18.957 ± 0.020	18.811 ± 0.026	18.599 ± 0.029	18.278 ± 0.035	3.096
313.....	17.007 ± 0.007	17.215 ± 0.007	16.880 ± 0.008	16.687 ± 0.009	16.416 ± 0.010	3.612
316.....	17.512 ± 0.007	17.286 ± 0.006	16.376 ± 0.004	15.839 ± 0.004	15.282 ± 0.004	3.354
317.....	19.454 ± 0.017	19.486 ± 0.020	19.026 ± 0.022	18.649 ± 0.025	18.013 ± 0.019	3.096
320.....	15.853 ± 0.002	16.482 ± 0.004	16.342 ± 0.004	16.270 ± 0.005	16.022 ± 0.006	2.580
321.....	17.585 ± 0.010	17.803 ± 0.011	17.373 ± 0.012	17.125 ± 0.016	16.816 ± 0.020	3.096
322.....	19.355 ± 0.022	19.232 ± 0.021	18.813 ± 0.027	18.523 ± 0.033	18.252 ± 0.050	3.354
323.....	19.271 ± 0.027	19.323 ± 0.030	18.972 ± 0.037	18.711 ± 0.041	18.219 ± 0.045	3.354
325.....	17.581 ± 0.007	18.039 ± 0.009	17.825 ± 0.010	17.632 ± 0.012	17.308 ± 0.014	2.838
326.....	19.969 ± 0.050	19.085 ± 0.021	18.183 ± 0.010	17.321 ± 0.008	16.723 ± 0.006	1.548
327.....	18.766 ± 0.010	18.890 ± 0.010	18.618 ± 0.010	18.451 ± 0.011	18.116 ± 0.011	2.838
328.....	19.210 ± 0.018	19.556 ± 0.026	19.374 ± 0.029	19.137 ± 0.030	18.829 ± 0.029	2.580
329.....	17.807 ± 0.010	17.896 ± 0.012	17.476 ± 0.012	17.336 ± 0.016	16.943 ± 0.016	4.386
330.....	21.240 ± 0.040	21.360 ± 0.054	20.903 ± 0.049	20.665 ± 0.053	20.610 ± 0.068	1.548
331.....	15.892 ± 0.003	16.289 ± 0.004	16.094 ± 0.004	16.013 ± 0.004	15.835 ± 0.005	2.580
332.....	19.139 ± 0.019	18.926 ± 0.016	18.310 ± 0.015	17.868 ± 0.015	17.496 ± 0.016	3.354
333.....	18.339 ± 0.012	18.259 ± 0.013	17.730 ± 0.013	17.377 ± 0.014	16.896 ± 0.016	3.354
334.....	19.475 ± 0.012	20.316 ± 0.021	20.311 ± 0.026	20.482 ± 0.035	20.486 ± 0.046	1.806
335.....	18.379 ± 0.015	18.369 ± 0.015	17.880 ± 0.015	17.640 ± 0.018	17.295 ± 0.021	4.128
336.....	18.379 ± 0.015	18.369 ± 0.015	17.880 ± 0.015	17.640 ± 0.018	17.295 ± 0.021	4.128
337.....	16.522 ± 0.003	16.807 ± 0.004	16.470 ± 0.005	16.265 ± 0.005	15.923 ± 0.005	3.354
338.....	19.987 ± 0.019	20.087 ± 0.024	19.689 ± 0.022	19.453 ± 0.025	19.295 ± 0.039	1.290
339.....	19.855 ± 0.020	20.124 ± 0.024	19.972 ± 0.030	19.843 ± 0.036	19.846 ± 0.053	3.096
341.....	17.095 ± 0.005	18.212 ± 0.009	17.935 ± 0.009	17.374 ± 0.008	17.786 ± 0.014	2.838
342.....	18.954 ± 0.013	19.327 ± 0.018	19.058 ± 0.021	19.088 ± 0.031	19.181 ± 0.054	2.580
343.....	18.312 ± 0.018	18.795 ± 0.018	18.372 ± 0.018	18.131 ± 0.026	17.948 ± 0.032	3.354
344.....	18.094 ± 0.012	18.373 ± 0.015	17.919 ± 0.014	17.523 ± 0.014	16.978 ± 0.013	3.354
345.....	18.767 ± 0.008	18.754 ± 0.009	18.385 ± 0.009	18.126 ± 0.009	17.555 ± 0.008	3.354
346.....	18.443 ± 0.011	18.870 ± 0.014	18.135 ± 0.011	17.386 ± 0.008	16.427 ± 0.005	3.870
347.....	18.829 ± 0.015	18.795 ± 0.016	18.367 ± 0.016	18.169 ± 0.019	17.751 ± 0.021	2.838
348.....	19.453 ± 0.024	19.393 ± 0.024	18.668 ± 0.020	18.175 ± 0.019	17.649 ± 0.018	3.354
349.....	18.998 ± 0.018	18.956 ± 0.017	18.480 ± 0.017	18.121 ± 0.019	17.817 ± 0.028	3.096
350.....	18.546 ± 0.013	18.477 ± 0.015	17.911 ± 0.015	17.666 ± 0.016	17.245 ± 0.018	3.354
351.....	18.653 ± 0.010	18.589 ± 0.010	18.153 ± 0.011	17.912 ± 0.010	17.582 ± 0.012	3.096
352.....	18.779 ± 0.012	19.325 ± 0.020	19.017 ± 0.022	18.910 ± 0.031	18.519 ± 0.033	2.838
353.....	17.638 ± 0.007	17.835 ± 0.009	17.431 ± 0.010	17.227 ± 0.012	16.921 ± 0.014	4.128
354.....	19.053 ± 0.016	19.186 ± 0.022	18.731 ± 0.021	18.588 ± 0.026	18.293 ± 0.031	3.612
355.....	18.020 ± 0.011	18.224 ± 0.013	17.785 ± 0.013	17.447 ± 0.014	16.933 ± 0.012	3.612
357.....	18.624 ± 0.017	18.838 ± 0.020	18.351 ± 0.017	17.979 ± 0.016	17.475 ± 0.015	3.096
358.....	18.840 ± 0.014	18.758 ± 0.015	18.208 ± 0.015	17.919 ± 0.016	17.538 ± 0.017	3.096
359.....	17.678 ± 0.015	18.024 ± 0.014	17.637 ± 0.012	17.433 ± 0.012	17.115 ± 0.011	2.838
360.....	19.858 ± 0.029	19.676 ± 0.025	19.191 ± 0.026	18.880 ± 0.030	18.516 ± 0.037	2.838

TABLE 1
CONTINUED.

Object	<i>U</i> mag	<i>B</i> mag	<i>V</i> mag	<i>R</i> mag	<i>I</i> mag	r_{ap} "
361.....	20.099 ± 0.024	20.235 ± 0.033	19.857 ± 0.036	19.474 ± 0.038	18.787 ± 0.032	2.580
364.....	20.018 ± 0.036	19.688 ± 0.028	19.195 ± 0.027	18.808 ± 0.026	18.383 ± 0.026	3.612
365.....	19.285 ± 0.020	19.486 ± 0.023	19.267 ± 0.027	19.147 ± 0.035	19.080 ± 0.046	2.580
366.....	19.022 ± 0.013	20.023 ± 0.026	20.022 ± 0.035	19.758 ± 0.036	19.926 ± 0.055	2.580
367.....	21.749 ± 0.119	21.044 ± 0.066	19.459 ± 0.021	18.620 ± 0.015	17.869 ± 0.012	1.548
368.....	16.646 ± 0.003	17.000 ± 0.005	16.685 ± 0.005	16.481 ± 0.005	16.201 ± 0.005	3.096
370.....	16.690 ± 0.004	17.042 ± 0.005	16.738 ± 0.005	16.559 ± 0.005	16.269 ± 0.005	3.096
371.....	17.037 ± 0.004	17.387 ± 0.006	17.123 ± 0.006	16.978 ± 0.007	16.765 ± 0.007	3.096
372.....	18.839 ± 0.012	18.832 ± 0.013	18.407 ± 0.016	18.183 ± 0.018	17.865 ± 0.017	2.838
373.....	19.026 ± 0.017	19.097 ± 0.020	18.649 ± 0.022	18.331 ± 0.025	17.834 ± 0.017	3.096
375.....	20.193 ± 0.034	20.161 ± 0.034	19.518 ± 0.035	19.151 ± 0.035	18.591 ± 0.037	2.580
376.....	18.803 ± 0.013	19.019 ± 0.016	18.594 ± 0.018	18.395 ± 0.021	18.126 ± 0.029	2.580
377.....	18.783 ± 0.015	19.026 ± 0.019	18.626 ± 0.019	18.553 ± 0.025	18.249 ± 0.030	2.580
378.....	19.168 ± 0.015	19.530 ± 0.019	19.154 ± 0.023	18.894 ± 0.030	18.812 ± 0.036	2.580
379.....	19.318 ± 0.015	19.361 ± 0.016	18.932 ± 0.017	18.663 ± 0.020	18.323 ± 0.022	3.354
380.....	19.923 ± 0.014	20.829 ± 0.031	20.730 ± 0.037	20.816 ± 0.044	20.915 ± 0.071	1.290
382.....	19.351 ± 0.018	19.496 ± 0.022	19.065 ± 0.024	18.738 ± 0.028	18.389 ± 0.030	3.096
383.....	19.956 ± 0.026	20.004 ± 0.030	19.553 ± 0.030	19.088 ± 0.027	18.519 ± 0.024	2.580
384.....	18.197 ± 0.007	18.226 ± 0.008	17.842 ± 0.007	17.630 ± 0.007	17.346 ± 0.007	3.096
385.....	19.261 ± 0.018	19.014 ± 0.017	18.199 ± 0.013	17.668 ± 0.009	17.119 ± 0.008	3.354
386.....	19.927 ± 0.025	19.985 ± 0.031	19.523 ± 0.031	19.188 ± 0.033	18.855 ± 0.031	3.096
387.....	18.324 ± 0.010	18.181 ± 0.010	17.507 ± 0.008	17.095 ± 0.008	16.660 ± 0.008	3.354
388.....	18.438 ± 0.011	18.581 ± 0.013	18.188 ± 0.014	17.895 ± 0.015	17.342 ± 0.013	3.096
389.....	18.182 ± 0.009	18.554 ± 0.011	18.181 ± 0.011	17.819 ± 0.011	17.382 ± 0.010	3.096
390.....	19.442 ± 0.020	19.678 ± 0.026	19.319 ± 0.029	19.049 ± 0.028	18.520 ± 0.031	2.838
391.....	19.465 ± 0.022	19.526 ± 0.026	19.012 ± 0.023	18.633 ± 0.022	18.275 ± 0.023	3.096
392.....	18.136 ± 0.010	18.181 ± 0.010	17.697 ± 0.010	17.423 ± 0.009	17.084 ± 0.009	3.096
393.....	20.119 ± 0.030	20.130 ± 0.035	19.653 ± 0.032	19.565 ± 0.038	19.197 ± 0.039	2.838
394.....	19.152 ± 0.024	19.190 ± 0.026	18.790 ± 0.028	18.588 ± 0.034	18.491 ± 0.041	3.870
395.....	15.911 ± 0.003	16.211 ± 0.004	15.938 ± 0.003	15.778 ± 0.003	15.540 ± 0.003	2.838
396.....	19.049 ± 0.013	19.210 ± 0.015	18.900 ± 0.017	18.748 ± 0.021	18.469 ± 0.023	2.580
398.....	20.464 ± 0.027	20.978 ± 0.041	20.774 ± 0.046	20.735 ± 0.051	20.729 ± 0.066	1.548
399.....	19.051 ± 0.016	19.428 ± 0.021	18.999 ± 0.022	18.618 ± 0.021	18.251 ± 0.022	3.096
400.....	19.095 ± 0.014	18.963 ± 0.015	18.382 ± 0.014	18.084 ± 0.013	17.659 ± 0.012	3.096
401.....	19.206 ± 0.016	18.938 ± 0.016	18.266 ± 0.013	17.818 ± 0.013	17.198 ± 0.010	3.354
402.....	17.848 ± 0.007	17.880 ± 0.008	17.127 ± 0.007	16.618 ± 0.005	16.108 ± 0.005	3.870
403.....	19.262 ± 0.015	19.709 ± 0.021	19.391 ± 0.022	19.121 ± 0.021	18.752 ± 0.019	2.322
405.....	19.554 ± 0.023	20.009 ± 0.029	19.904 ± 0.034	19.964 ± 0.048	19.875 ± 0.066	2.580
406.....	20.434 ± 0.027	20.669 ± 0.034	20.261 ± 0.036	19.850 ± 0.036	19.425 ± 0.034	1.806
407.....	20.294 ± 0.036	20.223 ± 0.038	19.860 ± 0.039	19.622 ± 0.044	19.284 ± 0.046	2.838
408.....	19.465 ± 0.020	19.422 ± 0.025	18.863 ± 0.021	18.518 ± 0.022	17.853 ± 0.018	3.354
409.....	19.803 ± 0.026	19.679 ± 0.025	19.030 ± 0.023	18.489 ± 0.020	17.848 ± 0.018	3.354
410.....	18.106 ± 0.009	18.473 ± 0.011	18.291 ± 0.013	18.116 ± 0.014	17.861 ± 0.015	3.096
411.....	19.738 ± 0.026	19.629 ± 0.024	18.983 ± 0.020	18.637 ± 0.021	18.317 ± 0.025	3.354
412.....	20.160 ± 0.029	20.226 ± 0.031	19.604 ± 0.031	19.095 ± 0.027	18.610 ± 0.025	2.838
413.....	18.364 ± 0.011	18.663 ± 0.013	18.276 ± 0.013	17.986 ± 0.015	17.428 ± 0.013	3.354
414.....	19.477 ± 0.019	19.521 ± 0.020	18.961 ± 0.018	18.527 ± 0.015	18.028 ± 0.013	2.580
416.....	19.976 ± 0.026	19.708 ± 0.021	18.794 ± 0.015	18.274 ± 0.012	17.849 ± 0.013	3.354
417.....	22.286 ± 0.135	21.754 ± 0.101	20.851 ± 0.055	20.178 ± 0.035	19.793 ± 0.032	1.806
419.....	18.272 ± 0.006	18.951 ± 0.010	18.582 ± 0.009	18.340 ± 0.009	17.979 ± 0.009	2.322
420.....	15.336 ± 0.004	16.076 ± 0.005	15.885 ± 0.004	15.626 ± 0.004	14.806 ± 0.002	3.612
421.....	17.835 ± 0.008	18.077 ± 0.011	17.800 ± 0.011	17.625 ± 0.012	17.433 ± 0.014	3.612
422.....	19.938 ± 0.026	19.932 ± 0.030	19.416 ± 0.029	18.915 ± 0.023	17.946 ± 0.014	3.096
424.....	19.560 ± 0.019	19.568 ± 0.022	19.158 ± 0.023	18.846 ± 0.023	18.140 ± 0.015	2.838
425.....	19.814 ± 0.043	19.777 ± 0.035	18.950 ± 0.027	18.413 ± 0.019	17.856 ± 0.018	3.354
426.....	22.137 ± 0.104	21.896 ± 0.102	20.735 ± 0.050	20.246 ± 0.043	19.623 ± 0.033	2.064
427.....	17.777 ± 0.007	17.748 ± 0.007	17.247 ± 0.006	16.968 ± 0.006	16.583 ± 0.005	3.096
428.....	18.565 ± 0.011	18.427 ± 0.012	17.578 ± 0.009	17.073 ± 0.007	16.595 ± 0.006	3.870
429.....	20.163 ± 0.026	19.917 ± 0.028	19.050 ± 0.018	18.507 ± 0.016	18.055 ± 0.013	3.096
430.....	18.867 ± 0.014	18.760 ± 0.015	17.842 ± 0.010	17.290 ± 0.009	16.758 ± 0.008	3.870
431.....	21.626 ± 0.065	21.618 ± 0.085	20.843 ± 0.058	20.441 ± 0.052	20.046 ± 0.047	2.322
432.....	20.437 ± 0.031	20.518 ± 0.040	19.939 ± 0.035	19.567 ± 0.029	19.383 ± 0.030	2.580
436.....	19.279 ± 0.015	19.316 ± 0.019	18.911 ± 0.018	18.760 ± 0.021	18.483 ± 0.022	2.838
438.....	16.820 ± 0.004	16.813 ± 0.004	16.120 ± 0.004	15.707 ± 0.003	15.317 ± 0.003	3.870
439.....	16.581 ± 0.003	16.811 ± 0.004	16.501 ± 0.004	16.311 ± 0.004	16.037 ± 0.004	3.612
440.....	19.843 ± 0.022	20.732 ± 0.030	20.448 ± 0.032	20.262 ± 0.031	20.317 ± 0.040	1.548
441.....	19.384 ± 0.024	19.293 ± 0.025	19.001 ± 0.026	18.771 ± 0.026	18.598 ± 0.028	4.128
443.....	20.297 ± 0.031	20.298 ± 0.037	19.783 ± 0.033	19.562 ± 0.033	19.312 ± 0.033	3.096
444.....	18.771 ± 0.009	19.630 ± 0.021	19.557 ± 0.024	19.506 ± 0.028	19.519 ± 0.037	2.580
445.....	18.078 ± 0.008	19.035 ± 0.012	18.996 ± 0.013	18.945 ± 0.016	19.106 ± 0.021	2.580
446.....	19.938 ± 0.027	19.939 ± 0.032	19.397 ± 0.027	19.011 ± 0.024	18.500 ± 0.020	3.612
447.....	19.023 ± 0.012	19.120 ± 0.015	18.605 ± 0.013	18.253 ± 0.017	17.213 ± 0.031	3.354
449.....	19.160 ± 0.014	18.962 ± 0.015	18.255 ± 0.014	17.777 ± 0.011	17.286 ± 0.010	5.160

TABLE 2
COMPARISON OF V PHOTOMETRY FOR M33 STAR CLUSTERS AND CLUSTER CANDIDATES CONSIDERED HERE BETWEEN THIS STUDY AND PREVIOUS STUDIES.

ID ^a	ID ^b	ID ^c	V^d (mag)	V^e (mag)	V^f (mag)	V^g (mag)	ΔV^h (mag)	ΔV^i (mag)	ΔV^j (mag)	r_{ap}^k
44.....			19.04			20.180±0.038	1.14			1.290
45.....	111.....		19.56	18.884±0.013		20.170±0.032	0.61	1.286		1.290
46.....			18.27			22.556±0.163	4.29			1.032
66.....	34.....	36.....	18.65	18.090±0.010	18.339	19.249±0.026	0.60	1.159	0.910	1.548
116.....			18.52			21.174±0.116	2.65			1.548
118.....		66.....	18.84		18.835	20.077±0.039	1.24		1.242	1.290
120.....		67.....	19.19		19.395	20.262±0.050	1.07		0.867	1.806
153.....	139.....		18.57	18.088±0.019		20.047±0.051	1.48	1.959		1.290
193.....	157.....		18.49	19.878±0.053		20.775±0.065	2.28	0.897		2.064
195.....	158.....		18.84	18.246±0.023		20.732±0.108	1.89	2.486		1.806
196.....			19.27			20.874±0.059	1.60			1.806
221.....	171.....	135.....	17.42	18.006±0.013	18.454	18.589±0.026	1.17	0.583	0.135	2.580
231.....	69.....	137.....	18.26	17.410±0.006	18.702	18.971±0.019	0.71	1.561	0.269	1.548
250.....	178.....		18.79	17.902±0.018		19.349±0.038	0.56	1.447		1.548
253.....	83.....			19.717±0.036		20.795±0.071		1.078		1.806
276.....			17.14			18.186±0.017	1.05			1.548
338.....	100.....		18.61	18.621±0.016		19.689±0.022	1.08	1.068		1.290
367.....	214.....		18.81	18.354±0.013		19.459±0.021	0.65	1.105		1.548

^a The object names following the naming convention of Sarajedini & Mancone (2007).

^b The object names following the naming convention of Park & Lee (2007).

^c The object names following the naming convention of San Roman et al. (2009).

^d The photometric data being collected in Sarajedini & Mancone (2007).

^e The photometry obtained in Park & Lee (2007).

^f The photometry obtained in San Roman et al. (2009).

^g The photometry obtained in this paper.

^h The magnitude difference between this study and Sarajedini & Mancone (2007) (this study minus Sarajedini & Mancone 2007).

ⁱ The magnitude difference between this study and Park & Lee (2007) (this study minus Park & Lee 2007).

^j The magnitude difference between this study and San Roman et al. (2009) (this study minus San Roman et al. 2009).

^k The aperture radius of photometry adopted in this paper.

TABLE 3
COMPARISONS OF OUR BROADBAND PHOTOMETRY WITH PREVIOUSLY PUBLISHED M33 STAR CLUSTER PHOTOMETRY BEING COLLECTED IN SARAJEDINI & MANCONE (2007). OFFSET = OUR MEASUREMENT – LITERATURE VALUE.

Band	Mean Offset	σ	Number
V	0.187 ± 0.028	0.462	265
$B - V$	0.041 ± 0.017	0.221	173
$V - I$	0.004 ± 0.020	0.257	171

TABLE 4
COMPARISONS OF OUR BROADBAND PHOTOMETRY WITH PREVIOUSLY PUBLISHED M33 STAR CLUSTER PHOTOMETRY IN PARK & LEE (2007). OFFSET = OUR MEASUREMENT – LITERATURE VALUE.

Band	Mean Offset	σ	Number
V	0.195 ± 0.029	0.398	191
$B - V$	0.127 ± 0.012	0.167	180
$V - I$	-0.011 ± 0.014	0.195	189

TABLE 5
COMPARISONS OF OUR BROADBAND PHOTOMETRY WITH PREVIOUSLY PUBLISHED M33 STAR CLUSTER PHOTOMETRY IN SAN ROMAN ET AL. (2009). OFFSET = OUR MEASUREMENT – LITERATURE VALUE.

Band	Mean Offset	σ	Number
V	0.220 ± 0.049	0.318	43
$B - V$	0.416 ± 0.068	0.265	16
$V - I$	-0.060 ± 0.045	0.294	43

TABLE 6

COMPARISONS OF OUR BROADBAND PHOTOMETRY WITH PREVIOUSLY PUBLISHED M33 STAR CLUSTER PHOTOMETRY BEING COLLECTED IN SARAJEDINI & MANCONE (2007). OFFSET = OUR MEASUREMENT - LITERATURE VALUE. PHOTOMETRIES OF M33 STAR CLUSTERS CONSIDERED HERE ARE DERIVED WITH AN APERTURE OF $r = 3.354''$ (13 PIXELS).

Band	Mean Offset	σ	Number
V	0.026 ± 0.023	0.372	265
$B - V$	0.022 ± 0.016	0.210	173
$V - I$	0.084 ± 0.024	0.313	171

TABLE 7

COMPARISONS OF OUR BROADBAND PHOTOMETRY WITH PREVIOUSLY PUBLISHED M33 STAR CLUSTER PHOTOMETRY IN PARK & LEE (2007). OFFSET = OUR MEASUREMENT - LITERATURE VALUE. PHOTOMETRIES OF M33 STAR CLUSTERS CONSIDERED HERE ARE DERIVED WITH AN APERTURE OF $r = 3.354''$ (13 PIXELS).

Band	Mean Offset	σ	Number
V	0.021 ± 0.019	0.265	191
$B - V$	0.107 ± 0.011	0.154	180
$V - I$	0.057 ± 0.017	0.230	189

TABLE 8

COMPARISONS OF OUR BROADBAND PHOTOMETRY WITH PREVIOUSLY PUBLISHED M33 STAR CLUSTER PHOTOMETRY IN SAN ROMAN ET AL. (2009). OFFSET = OUR MEASUREMENT - LITERATURE VALUE. PHOTOMETRIES OF M33 STAR CLUSTERS CONSIDERED HERE ARE DERIVED WITH AN APERTURE OF $r = 3.354''$ (13 PIXELS).

Band	Mean Offset	σ	Number
V	-0.008 ± 0.046	0.295	43
$B - V$	0.405 ± 0.068	0.263	16
$V - I$	-0.023 ± 0.038	0.249	43

TABLE 9

COMPARISON OF PHOTOMETRY IN V BAND BETWEEN THIS STUDY AND PREVIOUS STUDIES. PHOTOMETRIES OF M33 STAR CLUSTERS CONSIDERED HERE ARE DERIVED WITH AN APERTURE OF $r = 3.354''$ (13 PIXELS).

ID ^a	ID ^b	ID ^c	V^d (mag)	V^e (mag)	V^f (mag)	V^g (mag)	ΔV^h (mag)	ΔV^i (mag)	ΔV^j (mag)	r_{ap}^k ''
46.....			18.27			20.934±0.158	2.66			3.354
90.....	117.....		19.65	19.629±0.007		17.704±0.007	-1.95	-1.925		3.354
132.....	133.....	74.....	17.71	16.602±0.004	17.190	16.559±0.007	-1.15	-0.043	-0.631	3.354
193.....	157.....		18.49	19.878±0.053		20.088±0.082	1.60	0.210		3.354
195.....	158.....		18.84	18.246±0.023		19.638±0.126	0.80	1.392		3.354
196.....	159.....		19.27			20.857±0.125	1.60			3.354
231.....	69.....	137.....	18.26	17.410±0.006	18.702	17.504±0.010	-0.76	0.094	-1.198	3.354
236.....	72.....		18.75	20.146±0.117		18.939±0.051	0.19	-1.207		3.354
240.....	175.....		18.72	19.865±0.064		19.779±0.081	1.06	-0.086		3.354
426.....	240.....		19.88	20.921±0.060		21.167±0.137	1.29	0.246		3.354

^a The object names following the naming convention of Sarajedini & Mancone (2007).

^b The object names following the naming convention of Park & Lee (2007).

^c The object names following the naming convention of San Roman et al. (2009).

^d The photometric data being collected in Sarajedini & Mancone (2007).

^e The photometry obtained in Park & Lee (2007).

^f The photometry obtained in San Roman et al. (2009).

^g The photometry obtained in this paper.

^h The magnitude difference between this study and Sarajedini & Mancone (2007) (this study minus Sarajedini & Mancone 2007).

ⁱ The magnitude difference between this study and Park & Lee (2007) (this study minus Park & Lee 2007).

^j The magnitude difference between this study and San Roman et al. (2009) (this study minus San Roman et al. 2009).

^k The aperture radius of photometry adopted in this paper.